

It's s  simple

Mixing colours is a breeze with Mallia™
new metal plates added to the current range, the
possibilities are not only endless, but also exciting.



LOOK	Love at First Sight	4
TOUCH	Something to Behold	6
WOO	Form and Functionality	8
CLOSE	Detail Catalogue	10

LOOK



Bedazzled by the New Shine?

You should be. When new shine meets all-time favourites, it is natural that your gaze lingers for just a tad longer.



Brushed Stainless Steel



Gold



Lacquered Black



Polished Stainless Steel



Always the Crowd Pleaser

Be it conventional matt white, stylish light silver or the chic dark silver, the Mallia™ range exudes alluring elegance and uncompromised simplicity – like always.



Silver



White




Dark Silver



TOUCH

Something to Behold

From the graceful profile to the sultry curves, the refreshed Mallia™ range is more than just a head turner. Its satin finish assures that the touch is equally sensual. It is definitely a breath-taking experience.



In a class of its own, whether frontal or side, each curve and detail of Mallia™ stamps uniqueness.



A visual and sensory treat as the colours and the complementary finishing converge into a pristine whole.



Not to forget, the slim profile also promises to be a perfect fit for every space and design.


milky smooth



metallic blast



polished appeal






Our affinity lasts a lifetime. Not only does Mallia™ offer form and function in our expanded range, we also take care to ensure that the installation process is effortless. This justifies that the love for us is well-placed.



Resilient and flexible material used for the plates make it easy for mounting on uneven surfaces.




Slim design of the mechanisms gives way for larger wiring space in the box.



Mallia™ plates and gang units are interchangeable and easy to install. Simply wire the gang units and clip on the colour plates that suit your designs best.



Safety mark label proves conformity to BS standards. Insulated frame - designed with safety in mind.



It's so easy to perform installation with our top access screws for connecting electrical wires.

Mallia™ single pole switches - complete white



2810 00



2810 04



2810 10



2810 16

Conform to BS EN 60669 - 1
 Polycarbonate front cover plates with a matt finish
 Compact mechanism for a larger wiring space
 Supplied with 2 screws M 3.5 for BS boxes
 Supplied complete with plate - Dim. : 86 x 86 mm

Pack	Cat.Nos	Single pole standard switches 10 AX - 250 V~
10	2810 00	1 gang - 1-way switch ○ White
10	2810 01	1 gang - 2-way switch ○ White
10	2810 02	2 gang - 1-way switch ○ White
10	2810 03	2 gang - 2-way switch ○ White
10	2810 04	3 gang - 1-way switch ○ White
10	2810 05	3 gang - 2-way switch ○ White
10	2810 06	4 gang - 1-way switch Compatible with metal boxes only, for installation fold the vertical lugs of the boxes ○ White
10	2810 07	4 gang - 2-way switch Compatible with metal boxes only, for installation fold the vertical lugs of the boxes ○ White

Pack	Cat.Nos	Single pole illuminated switches 10 AX - 250 V~
Transparent phosphorescent lens To be equipped with green or red LED according to the needs: indicator or locator The LED is not supplied		
10	2810 10	1 gang - 1-way switch ○ White
10	2810 11	1 gang - 2-way switch ○ White
10	2810 12	2 gang - 1-way switch ○ White
10	2810 13	2 gang - 2-way switch ○ White
10	2810 14	3 gang - 1-way switch ○ White
10	2810 15	3 gang - 2-way switch ○ White
10	2810 16	4 gang - 1-way switch Compatible with metal boxes only, for installation fold the vertical lugs of the boxes ○ White
10	2810 17	4 gang - 2-way switch Compatible with metal boxes only, for installation fold the vertical lugs of the boxes ○ White

Mallia™ push-buttons, dimmers, automatic switches and other lighting functions complete white



2 810 40



2 810 84

Conform to BS EN 60669 - 1

Polycarbonate front cover plates with a matt finish

Compact mechanism for a larger wiring space

Supplied with 2 screws M 3.5 for BS boxes

Supplied complete with plate - Dim. : 86 x 86 mm

Pack	Cat.Nos	Push-buttons 10 A - 250 V~
10	2 810 41	N/O contact (push to make) ○ White
10	2 810 40	N/O contact with bell symbol ○ White

Pack	Cat.Nos	Dimmers
1	2 810 80	Rotary control dimmer 60 - 500 W for incandescent and halogen lamps 230 V~ - 60 - 300 ELV halogen lamps with ferromagnetic transformer and compensator Cat. No 0 401 39 ○ White
1	2 810 84	Rotary control dimmer + switch 500 W rotary control dimmer + 2-way switch , for incandescent and halogen lamps 230 V~ ○ White

Pack	Cat.Nos	Fan speed controls
1	NEW 2 810 81	400 VA rotary fan control ○ White
1	2 810 82	5-speed fan control 100 W for fan with overall diameter 48" ○ White

Mallia™ telephone, data, television, shaver sockets and cable outlets - complete white



2 811 60



2 811 63



2 811 66



2 811 47

Conform to BS EN 60669-1
 Polycarbonate front cover plates with a matt finish
 Compact mechanism for a larger wiring space
 Supplied with 2 screws M 3.5 for BS boxes
 Supplied complete with plates - Dim. : 86 x 86 mm

Pack Cat.Nos Telephone sockets

5	2 811 60	RJ 11 sockets - 4 contacts 1/4 turn, tool - less connector ○ White
5	2 811 63	Double RJ 11 sockets - 4 contacts 1/4 turn, tool - less connector ○ White

Data sockets

5	2 811 61	RJ 45 Cat. 5e UTP ○ White
5	2 811 62	RJ 45 Cat. 6 UTP ○ White
5	2 811 64	Double RJ 45 Cat. 5e UTP ○ White
5	2 811 65	Double RJ 45 Cat. 6 UTP ○ White

Pack Cat.Nos Telephone and data sockets

5	2 811 66	RJ 11 + RJ 45 sockets Cat. 5e UTP ○ White
---	----------	---

Television sockets

10	2 811 51	TV female terminal socket ○ White
10	2 811 52	TV female "F" type socket ○ White
5	2 811 53	TV-R terminal socket ○ White
5	2 811 57	TV-R-SAT socket ○ White

Shaver socket

1	2 811 35	Shaver socket 240 V / 120 V ~ - 50/60 Hz Dim. : 86 x 146 mm ○ White
---	----------	---

Cable outlets

10	2 811 47	20 A Conform to BS5733 ○ White
5	2 811 48	45 A ○ White

Red catalogue numbers: New products

Mallia™ Euro-US and international standard socket outlets - complete white



2 811 00



2 811 20

Polycarbonate front cover with a matt finish
 Compact mechanism for a larger wiring space
 Supplied with 2 screws M 3.5 for BS boxes
 All sockets integrate child protection
 Supplied complete with plate - Dim. : 86 x 86 mm

Pack	Cat.Nos	Euro-US standard socket outlets 10/16 A - 250 V~
10	2 811 00	2P - 1 gang ○ White
10	2 811 01	2P - 1 gang + 10 A switch ○ White
10	2 811 02	2P - 2 gang (separated connection) ○ White
10	2 811 03	2P+E - 1 gang ○ White
10	2 811 04	2P+E - 2 gang White
10	2 811 20	Multistandard socket outlets 16A-250V/ 15A-127V 2P+E - 1 gang ○ White

Mallia™ switches for hotels, downlighters and sound distribution - complete white



2 810 48



2 810 97



2 811 81



2 811 84

Polycarbonate front cover with a matt finish
 Compact mechanism for a larger wiring space
 Supplied with 2 screws M 3.5 for BS boxes
 Supplied complete with plate - Dim. : 86 x 86 mm

Pack	Cat.Nos	Switches for hotels - 230 V~
1	2 810 48	Key card switch - 15 A Time delay around 30 s ○ White
10	2 810 45	Do not disturb / Occupied / Clean up Bell push-button ○ White
10	2 810 46	Do not disturb / Clean up - 2 gang switch ○ White

5	2 810 97	Downlighter Low output downlighter 230 V~ , with LED 2P+E - 1 gang ○ White
---	----------	---

Pack	Cat.Nos	Stand-alone sound distribution system for 1 single room
1	2 811 80	Kit containing: - 1 power supply - 1 tuner - 2 loudspeakers ○ White

Pack	Cat.Nos	Configurable sound distribution system for several rooms
1	2 811 81	Modular power supply 230 V / 15 V - 15 W 5 DIN modules 17.5 mm
1	2 811 82	Central unit ○ White
1	2 811 83	Local control unit With LCD display, child surveillance and intercommunication ○ White
1	2 811 84	Radio tuner with local control unit Dim.: 146 x 86 mm ○ White
1	2 811 85	Loudspeaker ○ White

Mallia™ single pole switches - customisable colours

NEW



2 830 02



2 830 12 + 2 819 98



2 834 16 + 2 819 97



Plate selection charts

Conform to BS EN 60669-1

Painted polycarbonate front cover

Compact mechanism for a larger wiring space

Supplied with 2 screws M 3.5 for BS boxes

To be equipped with plates - Dim. : 86 x 86 mm

Pack	Cat.Nos	Single pole standard switches 10 AX - 250 V~	Pack	Cat.Nos	Single pole illuminated switches 10 AX - 250 V~
5	2 830 00	1 gang - 1-way switch <ul style="list-style-type: none"> ● Silver ● Dark Silver 	5	2 830 10	Transparent phosphorescent lens To be equipped with green or red LED according to the needs : indicator or locator The LED is not supplied 1 gang - 1-way switch <ul style="list-style-type: none"> ● Silver ● Dark Silver
5	2 834 00		5	2 834 10	
5	2 830 01	1 gang - 2-way switch <ul style="list-style-type: none"> ● Silver ● Dark Silver 	5	2 830 11	1 gang - 2-way switch <ul style="list-style-type: none"> ● Silver ● Dark Silver
5	2 834 01		5	2 834 11	
5	2 830 02	2 gang - 1-way switch <ul style="list-style-type: none"> ● Silver ● Dark Silver 	5	2 830 12	2 gang - 1-way switch <ul style="list-style-type: none"> ● Silver ● Dark Silver
5	2 834 02		5	2 834 12	
5	2 830 03	2 gang - 2-way switch <ul style="list-style-type: none"> ● Silver ● Dark Silver 	5	2 830 13	2 gang - 2-way switch <ul style="list-style-type: none"> ● Silver ● Dark Silver
5	2 834 03		5	2 834 13	
5	2 830 04	3 gang - 1-way switch <ul style="list-style-type: none"> ● Silver ● Dark Silver 	5	2 830 14	3 gang - 1-way switch <ul style="list-style-type: none"> ● Silver ● Dark Silver
5	2 834 04		5	2 834 14	
5	2 830 05	3 gang - 2-way switch <ul style="list-style-type: none"> ● Silver ● Dark Silver 	5	2 830 15	3 gang - 2-way switch <ul style="list-style-type: none"> ● Silver ● Dark Silver
5	2 834 05		5	2 834 15	
5	2 830 06	4 gang - 1-way switch Compatible with metal boxes only, for installation fold the vertical lugs of the boxes <ul style="list-style-type: none"> ● Silver ● Dark Silver 	5	2 830 16	4 gang - 1-way switch Compatible with metal boxes only, for installation fold the vertical lugs of the boxes <ul style="list-style-type: none"> ● Silver ● Dark Silver
5	2 834 06		5	2 834 16	
5	2 830 07	4 gang - 2-way switch Compatible with metal boxes only, for installation fold the vertical lugs of the boxes <ul style="list-style-type: none"> ● Silver ● Dark Silver 	5	2 830 17	4 gang - 2-way switch Compatible with metal boxes only, for installation fold the vertical lugs of the boxes <ul style="list-style-type: none"> ● Silver ● Dark Silver
5	2 834 07		5	2 834 17	

Red catalogue numbers: New products

Mallia™ push-buttons, dimmers, automatic switches and other lighting functions - customisable colours

NEW



2 830 84



Plate selection charts



Conform to BS EN 60669-1



Painted polycarbonate front cover



Compact mechanism for a larger wiring space

Supplied with 2 screws M 3.5 for BS boxes

To be equipped with plates - Dim. : 86 x 86 mm

Pack	Cat.Nos	Push-buttons 10 A - 250 V~
5	2 830 41	N/O contact (push to make)  <ul style="list-style-type: none"> ● Silver ● Dark Silver
5	2 834 41	
5	2 830 40	N/O contact with bell symbol  <ul style="list-style-type: none"> ● Silver ● Dark Silver
5	2 834 40	

Pack	Cat.Nos	Dimmers
1	2 830 80	Rotary control dimmer 60-500 W for incandescent and halogen lamps 230V~ 60-300 VA ELV halogen lamps with ferromagnetic transformer and compensator Cat.No 0 401 39  <ul style="list-style-type: none"> ● Silver ● Dark Silver
1	2 834 80	
1	2 830 84	Rotary control dimmer + switch 500W rotary control dimmer + 2-way switch - for incandescent and halogen lamps 230V~  <ul style="list-style-type: none"> ● Silver ● Dark Silver
1	2 834 84	

Pack	Cat.Nos	Fan speed controls
1	2 830 81	400 VA rotary fan controls  <ul style="list-style-type: none"> ● Silver ● Dark Silver
1	2 834 81	
1	2 830 82	5-speed fan control 100 W for fan with overall diameter 48"  <ul style="list-style-type: none"> ● Silver ● Dark Silver
1	2 834 82	

Mallia™ telephone, data, television, shaver sockets and cable outlets - customisable colours

NEW



2 835 63



2 831 62



2 835 51



2 831 35

Plate selection charts

Conform to BS EN 60669-1
 Painted polycarbonate front cover
 Compact mechanism for a larger wiring space
 Supplied with 2 screws M 3.5 for BS boxes
 To be equipped with plates - Dim. : 86 x 86 mm

Pack	Cat.Nos	Telephone sockets
5 5	2 831 60 2 835 60	RJ 11 sockets - 4 contacts 1/4 turn, tool-less connector ● Silver ● Dark Silver
5 5	2 831 63 2 835 63	Double RJ 11 sockets - 4 contacts 1/4 turn, tool-less connector ● Silver ● Dark Silver
5 5	2 831 61 2 835 61	Data sockets RJ 45 Cat. 5e UTP ● Silver ● Dark Silver
5 5	2 831 62 2 835 62	RJ 45 Cat. 6 UTP ● Silver ● Dark Silver
5 5	2 831 64 2 835 64	Double RJ 45 Cat. 5e UTP ● Silver ● Dark Silver
5 5	2 831 65 2 835 65	Double RJ 45 Cat. 6 UTP ● Silver ● Dark Silver

Pack	Cat.Nos	Telephone and data sockets
5 5	2 831 66 2 835 66	RJ 11+RJ 45 sockets Cat. 5e UTP ● Silver ● Dark Silver
5 5	2 831 51 2 835 51	Television sockets TV female terminal sockets ● Silver ● Dark Silver
5 5	2 831 52 2 835 52	TV female "F" type sockets ● Silver ● Dark Silver
5 5	2 831 53 2 835 53	TV-R terminal sockets ● Silver ● Dark Silver
5 5	2 831 57 2 835 57	TV-R-SAT sockets ● Silver ● Dark Silver
1 1	2 831 35 2 835 35	Shaver sockets 240 V / 120 V ~ - 50/60 Hz Dim.: 86 x 146 mm ● Silver ● Dark Silver

Pack	Cat.Nos	Cable outlets
5 5	2 831 47 2 835 47	Conform to BS 5733 20 A ● Silver ● Dark Silver
5 5	2 831 48 2 835 48	45 A - supplied complete with plate ● Silver ● Dark Silver

Red catalogue numbers: New products

Mallia™ Euro-US and international standard socket outlets - customisable colours



2 835 02



Plate selection charts

Painted polycarbonate front cover
 Compact mechanism for a larger wiring space
 Supplied with 2 screws M 3.5 for BS boxes
 All sockets integrate child protection
 To be equipped with plates - Dim. : 86 x 86 mm

Pack Cat.Nos Euro-US standard socket outlets 10/16 A - 250 V~

Pack	Cat.Nos	Product Description	Color Options
5	2 831 00	2P - 1 gang 	● Silver
5	2 835 00		● Dark Silver
5	2 831 01	2P - 1 gang + 10 A switch 	● Silver
5	2 835 01		● Dark Silver
5	2 831 02	2P - 2 gang (separated connection) 	● Silver
5	2 835 02		● Dark Silver
5	2 831 03	2P+E - 1 gang 	● Silver
5	2 835 03		● Dark Silver
5	2 831 04	2P+E - 2 gang 	● Silver
5	2 835 04		● Dark Silver

Multistandard socket outlets - 16A - 250 V 15 A - 127 V

5	2 831 20	2P+E - 1 gang 	● Silver
5	2 835 20		● Dark Silver

Mallia™ switches for hotels, downlighters and sound distribution - customisable colours

NEW



2 830 45



2 834 97



2 831 85

Plate selection charts

Painted polycarbonate front cover
 Compact mechanism for a larger wiring space
 Supplied with 2 screws M 3.5 for BS boxes
 To be equipped with plates - Dim. : 86 x 86 mm

Pack	Cat.Nos	Switches for hotels - 230 V~
1	2 830 48	Key card switches - 15 A Time delay around 30 s ● Silver ● Dark Silver
1	2 834 48	
5	2 830 45	Do not disturb / Occupied / Clean up Bell push-buttons ● Silver ● Dark Silver
5	2 834 45	
5	2 830 46	Do not disturb / Clean up - 2 gang switches ● Silver ● Dark Silver
5	2 834 46	
5	2 830 97	Downlighters Low output downlighters 230 V~, with LED ● Silver ● Dark Silver
5	2 834 97	

Pack	Cat.Nos	Stand-alone sound distribution system for 1 single room
1	2 831 80	Kit containing: - 1 power supply - 1 tuner - 2 loudspeakers ● Silver ● Dark Silver
1	2 835 80	
1	2 811 81	Configurable sound distribution system for several rooms Modular power supply 230 V / 15 V - 15 W 5 DIN modules 17.5 mm
1	2 831 82	Central units ● Silver ● Dark Silver
1	2 835 82	
1	2 831 83	Local control units With LCD display, child surveillance and intercommunication ● Silver ● Dark Silver
1	2 835 83	
1	2 831 84	Radio tuner with local control units Dim: 146 x 86 mm ● Silver ● Dark Silver
1	2 835 84	
1	2 831 85	Loudspeakers ● Silver ● Dark Silver
1	2 835 85	


Mallia™ plates, frames, blanking plates, adaptors and accessories - customisable



2 819 65



2 819 78



2 819 76



2 811 92



Plate selection charts

Pack	Cat.Nos	Plates
		1 gang
10	2 819 00	○ White
10	2 819 05	● Silver
10	2 819 10	● Champagne*
10	2 819 55	● Dark Silver
10	2 819 60	● Brass*
10	2 819 65	● Bronze*
10	2 819 70	● Matt Black*
10	2 819 75	● Copper*
1	2 819 78	● Brushed Stainless Steel*
1	2 819 82	● Gold*
1	2 819 86	● Polished Stainless Steel*
1	2 819 90	● Lacquered Black*
		2 x 1 gang
5	2 819 01	○ White
5	2 819 06	● Silver
5	2 819 11	● Champagne*
5	2 819 56	● Dark Silver
5	2 819 61	● Brass*
5	2 819 66	● Bronze*
5	2 819 71	● Matt Black*
5	2 819 76	● Copper*
1	2 819 79	● Brushed Stainless Steel*
1	2 819 83	● Gold*
1	2 819 87	● Polished Stainless Steel*
1	2 819 91	● Lacquered Black*

Pack	Cat.Nos	Blanking plates
		1 gang
10	2 811 90	○ White
10	2 831 90	● Silver
10	2 835 90	● Dark Silver
		2 gang
5	2 811 91	○ White
5	2 831 91	● Silver
5	2 835 91	● Dark Silver
		Arteor adaptors
		1 gang
5	2 811 92	○ White - Supplied with plate (complete)
5	2 831 92	● Silver - Supplied without plate
5	2 835 92	● Dark Silver - Supplied without plate
		2 gang
5	2 811 93	○ White - Supplied with plate (complete)
5	2 831 93	● Silver - Supplied without plate
5	2 835 93	● Dark Silver - Supplied without plate
		Lamps
10	2 819 97	LED 220 V, green low consumption For locator use
10	2 819 98	LED 220 V, red - high luminosity For indicator use

*All these finishes are available only on special request

Mallia™

complete white or customisable colours: find an answer to your needs...

Mallia offers a selection of wiring devices in white and colours
 You'll find a solution for every situation in complete, modular or dressable mounting

■ Complete mounting: Mallia white

Supplied complete with plate ▶ 1 Cat No.2810 00














Cat No.2810 00

■ Dressable mounting: Mallia colours

2 Cat.Nos
2830 02
+
2819 70






Cat No.2830 02

Cat No.2819 70

PLATES	PLATES	
		
	1 gang	2 x 1 gang
White 	2 819 00	2 819 01
Silver 	2 819 05	2 819 06
Dark Silver 	2 819 55	2 819 56
Champagne * 	2 819 10	2 819 11
Brass * 	2 819 60	2 819 61
Bronze * 	2 819 65	2 819 66
Matt Black * 	2 819 70	2 819 71
Copper * 	2 819 75	2 819 76
Brushed * Stainless Steel 	2 819 78	2 819 79
Gold * 	2 819 82	2 819 83
Polished * Stainless Steel 	2 819 86	2 819 87
Lacquered * Black 	2 819 90	2 819 91

*All these finishes are available only on special request

Mallia™ plate selection charts - customisable (continued)
NEW

PLATES				
	BLANKING PLATES		ARTEOR ADAPTORS	
	1 gang	2 gang	1 gang	2 gang
White 	2 811 90	2 811 91	2 811 92 ⁽¹⁾	2 811 93 ⁽¹⁾
Silver 	2 831 90	2 831 91	2 831 92 ⁽²⁾	2 831 93 ⁽²⁾
Dark Silver 	2 835 90	2 835 91	2 835 92 ⁽²⁾	2 835 93 ⁽²⁾

1: Supplied complete with plate
2: Supplied without plate



BTicino (Thailand) Ltd.

Bangkok | Office

10th Floor Ploenchit Center,
2 Sukhumvit Road,

Klongtoey, Bangkok 10110

Tel. +66 (0) 2 656 9162 -7

Fax. +66 (0) 2 656 9197

Bangkok | Concept Store

G Floor Ploenchit Center

Bangkok | Training Center

12th Floor Ploenchit Center

Phuket

Unit No. 12-13 The Court Yard,
90/5 Moo 2, Chaofa Road West,

Vichit, Muang, Phuket 83000

Tel. +66 (0) 7 626 4477

Fax. +66 (0) 7 616 4494

Chiangmai

Unit 16, 2nd Floor

One Plus Mahidol Condominium,

243/4 Mahidol Road,

Changklan, Muang Chiangmai,

Chiangmai 50100

Tel. +66 (0) 53 281 063

Fax. +66 (0) 53 281 063