

Mallia™

WOW  
MORE  
CHOICES  
NOW

Express Yourself Like Never Before

 legrand®

# SPOILT FOR CHOICE

Mixing colours is a breeze with Mallia™. With new rocker colours added to the range, there are now even more exciting possibilities.



**WOW** A visual treat / 4 /

**MORE** An enduring form / 8 /

**CHOICES** For every purpose / 10 /

**NOW** An easy fix / 16 /

**SHOP** Catalogue pages / 18 /



# WOW

## Designed to Impress

How about introducing an extra oomph to your house?

The two new Mallia rocker colours, Matt Black and Champagne, are designed for just that purpose.



Matt Black with Silver rocker



Copper with Matt Black rocker



Champagne with Pearl rocker



Bronze with Champagne rocker





# A Style that Never Gets Dated

When the conventional White, graceful light Silver, classy Pearl and cool Dark Silver meet the mysterious Matt Black and chic Champagne, you will get alluring elegance and uncompromising simplicity – like always.



Champagne



Matt Black



Silver



Pearl



White



Dark Silver



## Matt Black

Smooth to the touch and complete with a sleek profile, the Matt Black series is unquestionably a stunning addition to any modern home.



## An Enduring Form

Each curve and detail of Mallia™ exudes uniqueness.



Colour and finish converge into a pristine whole.



Slim profile to fit every space and design.





## Champagne

Absolute elegance, enhanced by a dignified and enduring style, the timeless Champagne series promises to introduce a touch of sophistication to your beautiful home.

## Metal

Two different textures to provide a distinctive touch, the Brushed and Polished Stainless Steel series are among the most versatile in the Mallia™ range.



Brushed Stainless Steel



Polished Stainless Steel

# MORE

## Full Colour

Introducing the new additions to the Mallia™ family – Matt Black and Champagne. While Matt Black exudes an air of mystery, Champagne embodies familiarity and finesse. Together, they inspire your creativity.



## Mix and Match

Let the spectrum of Mallia™ colours delight your visual senses. Whether you are in the mood to pack in some colours and spice things up or keep it pure and simple for a touch of authenticity, Mallia™ presents you with the freedom to go with full colour or mix and match – it's your call.







Brushed Stainless Steel  
with Silver rocker



White



Lacquered Black with  
Dark Silver rocker



Dark Silver



Pearl



Gold with Champagne  
rocker



Silver



Copper with Pearl rocker



Bronze with  
Champagne rocker



Champagne with  
Dark Silver rocker



Polished Stainless Steel  
with Matt Black rocker



Silver with  
Dark Silver rocker



# CHOICES



## The Universal Dimmer

We promise you will love the Mallia™ Universal Dimmers. This is one device that does it all – dim and control dimmable LEDs and CFL, halogen or incandescent lamps. Enabling you to harness the full energy efficiency potential of modern loads is our way of reciprocating your loyalty.



LED



CFL



Halogen



Incandescent





# The Multi-standard Socket

Powering international appliances is made easy with the Mallia™ multi-standard socket. Suitable for every type of plug found around the world, it is the perfect complement for any environment hosting global visitors.







1 gang 13 A socket with USB charger 2.4 A - 5 V = 12 W.  
Consumption in passive mode < 0.08 W



1 gang switched socket



1 gang switched socket

## Power-up Two Ways with One Socket

Charging your mobile devices does not have to come at the expense of powering up your other appliances. With Mallia™ 13 A socket with USB charger, you can charge up your mobile devices while your appliances run as usual.







2 gang 13A socket with type- A and Type-C™ USB charger 3 A -5V = 15 W.

## Thinking of tomorrow today

The 2 gang 13 A BS socket outlets are equipped with two different USB charging ports, Type-A and Type-C™, 3 A – 5 V = 15 W


With USB Type-C™ making its way more and more into phones, tablets, etc. you are sure to be prepared for tomorrow - today.

# Even more versatile than before

No matter what modern lifestyle demands you may have, you are well covered with Mallia™. Every care has been taken to make Mallia™ friendlier and more synchronised with your modern lifestyle, so you can be certain that Mallia™'s form always complements the function and you get a complete experience.



1 to 3 gang transparent rockers consist of 3 layers: rocker, blank label and transparent cover.



Full surface blank label holders allow you to display customised pictures, wallpapers and easy-to-read indicator labels!





3-gang switch



4-gang switch



Rotary dimmer



Telephone socket



FM-TV socket



Fan speed control



Indicator for Do not disturb /  
Clean up and bell push-button



Data socket



Multistandard switched socket outlets





# N O W



Not only does Mallia™ offer form and function, we also take care to ensure that the installation process is effortless.




The resilient and flexible material used for the plates makes them easy to mount on uneven surfaces.






Slim mechanism design leaves room for greater wiring space in the box.



Mallia™ plates and gang units are interchangeable and easy to install. Simply wire the gang units and clip on the colour plates that suit your designs best.



The safety mark label proves conformity to BS standards. Insulated frame - designed with safety in mind.



Top access screws for connecting the wires make installation a piece of cake.

# SHOP

There's no better test for our relationship than to make a durable commitment. Let's take the next step together. Start shopping.



# Mallia™

## single pole switches - complete white



2 810 00



2 810 04



2 810 10



2 810 16

Conform to BS EN 60669-1  
 Polycarbonate front cover plates with a matt finish  
 Compact mechanism for greater wiring space  
 Supplied with 2 screws M 3.5 for BS boxes  
 Supplied complete with plate  
 Dim.: 86 x 86 mm

Pack	Cat.Nos	Single pole standard switches 10 AX - 250 V~
10	2 810 00	<b>1 gang - 1-way switch</b> ○ White
10	2 810 01	<b>1 gang - 2-way switch</b> ○ White
4	2 810 08	<b>1 gang - intermediate switch</b> ○ White
10	2 810 02	<b>2 gang - 1-way switch</b> ○ White
10	2 810 03	<b>2 gang - 2-way switch</b> ○ White
10	2 810 04	<b>3 gang - 1-way switch</b> ○ White
10	2 810 05	<b>3 gang - 2-way switch</b> ○ White
10	2 810 06	<b>4 gang - 1-way switch</b> Compatible with metal boxes only, for installation fold the vertical lugs of the boxes ○ White
10	2 810 07	<b>4 gang - 2-way switch</b> Compatible with metal boxes only, for installation fold the vertical lugs of the boxes ○ White

Pack	Cat.Nos	Single pole illuminated switches 10 AX - 250 V~
Transparent phosphorescent lens To be equipped with green or red LED according to the need: indicator or locator (p. 35) The LED is not supplied		
10	2 810 10	<b>1 gang - 1-way switch</b> ○ White
10	2 810 11	<b>1 gang - 2-way switch</b> ○ White
4	2 810 09	<b>1 gang - intermediate switch</b> ○ White
10	2 810 12	<b>2 gang - 1-way switch</b> ○ White
10	2 810 13	<b>2 gang - 2-way switch</b> ○ White
10	2 810 14	<b>3 gang - 1-way switch</b> ○ White
10	2 810 15	<b>3 gang - 2-way switch</b> ○ White
10	2 810 16	<b>4 gang - 1-way switch</b> Compatible with metal boxes only, for installation fold the vertical lugs of the boxes ○ White
10	2 810 17	<b>4 gang - 2-way switch</b> Compatible with metal boxes only, for installation fold the vertical lugs of the boxes ○ White

## Mallia™

push-buttons, dimmers, automatic switches and other lighting functions - complete white



2 810 40

Polycarbonate front cover plates with a matt finish.  
Compact mechanism for greater wiring space.  
Supplied with 2 screws M 3.5 for BS boxes  
Supplied complete with plate. Dim.: 86 x 86 mm

Pack	Cat.Nos	
10	2 810 41	<b>Push-buttons 10 A - 250 V</b> Conform to BS EN 60669-1 <b>N/O contact (push to make)</b> ○ White
10	2 810 40	<b>N/O contact with bell symbol</b> ○ White
1	2 810 86	<b>RLC + LED dimmer</b> <b>Rotary dimmer without neutral</b> Conform to BS EN 60669-2-1 100-240 V~ for all types of dimmable lamps: - dimmable LED: 5 to 75 W (10 lamps max.) - dimmable compact fluorescent lamps: 5 to 75 W (10 lamps max.) - fluorescent tube with ballast: 5 to 300 VA - halogen and incandescent: 5 to 300 W - electronic or ferromagnetic transformers: 5 to 300 VA When switched on, gradually (2 seconds) lights up at the level set before last switch off
1	0 401 49	<b>Active compensator</b> Allows to ensure compatibility of 2-wire electronic lighting controls without neutral with all available types of loads (LEDs, compact fluorescent lamps (ELV halogen lamps with electronic or conventional ballast, 230 V halogen lamps, fluorescent tubes, incandescent lamps) Consumption: 0.4 W
1	2 810 80	<b>Leading edge dimmers</b> Conform to BS EN 60669-2-1 <b>Rotary control dimmer</b> 60-500 W for incandescent and halogen lamps 230 V~ 60-500 VA ELV halogen lamps with ferromagnetic transformer and compensator Cat.No 0 401 39 ○ White
1	2 810 81	<b>Fan speed controls</b> Conform to BS EN 60669-2-1 <b>400 VA rotary fan control</b> ○ White
1	2 810 82	<b>5-speed fan control</b> 100 W for fan with overall diameter 48" ○ White

## Mallia™

Euro-US and German standard socket outlets - complete white



2 811 00



2 811 26


Polycarbonate front cover plates with a matt finish  
Compact mechanism for greater wiring space  
Supplied with 2 screws M 3.5 for BS boxes  
All sockets integrate child protection  
Supplied complete with plate Dim.: 86 x 86 mm

Pack	Cat.Nos	
10	2 811 00	<b>Euro-US standard socket outlets 16 A - 250 V</b> <b>2P - 1 gang</b> ○ White
10	2 811 01	<b>2P - 1 gang + 10 A switch</b> ○ White
10	2 811 02	<b>2P - 2 gang (separated connection)</b> ○ White
10	2 811 03	<b>2P+E - 1 gang</b> ○ White
10	2 811 04	<b>2P+E - 2 gang</b> ○ White
10	2 811 26	<b>German standard socket outlet 16 A - 250 V</b> <b>2P+E - 1 gang</b> ○ White



















# Mallia™

telephone, data, television, shaver socket and cable outlets - complete white



Polycarbonate front cover plates with a matt finish. Compact mechanism for greater wiring space  
 Supplied with 2 screws M 3.5 for BS boxes. Supplied complete with plate. Dim.: 86 x 86 mm


Pack	Cat.Nos	Telephone sockets	Pack	Cat.Nos	Television sockets
5	2 811 60	<b>RJ 11 sockets - 4 contacts</b> 1/4 turn, tool-less connector ○ White 			For DVBT and satellite installation (with individual demodulator) DVBT HDTV compatible TV: male connector (Ø9.5 mm) R: female connector (Ø9.5 mm) SAT: "F" type connector Recommended coaxial cable: 17 VATC <b>TV-R-SAT socket</b> TV: 5-68/120 - 862 MHz R: 87.5-108 MHz SAT: 950-2400 MHz Star low attenuation 1.5 dB ○ White 
5	2 811 63	<b>Double RJ 11 sockets - 4 contacts</b> 1/4 turn, tool-less connector ○ White 			
5	2 811 68	<b>BS master telephone sockets</b> ○ White 	5	2 811 57	
5	2 811 69	<b>BS secondary telephone sockets</b> ○ White 			
		<b>Data sockets</b>			<b>TV-R socket</b> TV: 5-68/120 - 862 MHz R: 87.5-108 MHz Star 1.5 dB ○ White 
5	2 811 61	<b>RJ 45 Cat. 5e UTP</b> ○ White 			<b>TV socket</b> TV: 0-2400 MHz Star low attenuation 1 dB ○ White 
5	2 811 62	<b>RJ 45 Cat. 6 UTP</b> ○ White 	5	2 811 53	
5	2 811 64	<b>Double RJ 45 Cat. 5e UTP</b> ○ White 	10	2 811 51	
5	2 811 65	<b>Double RJ 45 Cat. 6 UTP</b> ○ White 			<b>TV socket "F" type with screws</b> SAT: 0-2400 MHz Star attenuation 1 dB ○ White 
		<b>Telephone and data sockets</b>			<b>Shaver socket</b> Conform to BS EN 61558-2-5 230 V / 120 V~ - 50/60 Hz. Dim.: 86 x 146 mm ○ White 
5	2 811 66	<b>RJ 11 + RJ 45 sockets Cat. 5e UTP</b> ○ White 	1	2 811 35	
					<b>Cable outlets</b> Conform to BS 5733
			10	2 811 47	<b>20 A</b> ○ White 
			5	2 811 48	<b>45 A</b> ○ White 

# socket outlets

with **USB charger**

## TWO IN ONE

Charge your mobile devices without the need for a bulky adaptor or blocking access to the power outlet. Just plug your USB cord right into the USB charging port – and run your other appliances as usual.



**Charge at full speed**

The traditional 1 gang 13 A BS socket outlets are equipped with a 2.4 A – 5 V = – 12 W USB charging port.

**The output of 2.4 A allows to charge any tablet at full speed.**



- 2 gang socket outlets are equipped with Type-A and Type-C™ charging ports
- For future-proof installations that respond to growing connectivity requirements today – and tomorrow

3 A – 5 V = – 15 W



### multistandard and US standard socket outlets - complete white




2 811 22



2 811 23

Polycarbonate front cover plates with a matt finish  
Compact mechanism for greater wiring space  
Supplied with 2 screws M 3.5 for BS boxes  
All sockets integrate child protection  
Supplied complete with plate  
Dim.: 86 x 86 mm

Pack	Cat.Nos	
10	2 811 20	<b>Multistandard switched socket outlets 16 A - 250 V~ - 15 A - 127 V</b> <b>2P+E - 1 gang</b> ○ White
10	2 811 22	<b>2P+E - 2 gang</b> ○ White
1	2 811 21	<b>Multistandard switched socket outlets 16 A - 250 V~ / 15 A - 127 V~ with USB charger</b> USB charger conform to IEC 60950-1 <b>2P+E - 1 gang</b> <b>NEW FUNCTION</b> USB Type-A 2.4 A - 5 V = - 12 W Consumption in passive mode < 0.08 W ○ White
1	2 811 23	<b>2 x 2P+E - 2 gang</b> <b>NEW FUNCTION</b> USB Type-A + Type-C™ 3 A - 5 V = - 15 W Consumption in passive mode < 0.08 W ○ White



# Mallia™

switches for hotels, downlighter - complete white







2 810 48



2 810 97

Polycarbonate front cover plates with a matt finish  
 Compact mechanism for greater wiring space  
 Supplied with 2 screws M 3.5 for BS boxes  
 Supplied complete with plate  
 Dim.: 86 x 86 mm

Pack	Cat.Nos	Switches for hotels - 230 V~
1	2 810 48	<b>Key card switch - 15 A</b> Time delay around 30 s ○ White 
10	2 810 45	<b>Do not disturb / Occupied / Clean up Bell push-button</b> ○ White 
10	2 810 46	<b>Do not disturb / Clean up - 2 gang switch</b> ○ White 
5	2 810 97	<b>Downlighter</b> Low output downlighter 230 V~, with LED <b>2P+E - 1 gang</b> ○ White 

# Mallia™

## single pole switches - customisable colours



2 838 00



2 830 02



2 820 04



2 830 12 + 2 819 98



2 834 16 + 2 819 97

Plate selection charts **p. 31**

Conform to BS EN 60669-1. Painted polycarbonate front cover  
 Compact mechanism for greater wiring space  
 Supplied with 2 screws M 3.5 for BS boxes. To be equipped with plates. Dim.: 86 x 86 mm

Pack	Cat.Nos	Single pole standard switches 10 AX - 250 V~
5	2 830 00	<b>1 gang - 1-way switch</b> <ul style="list-style-type: none"> <li>● Silver</li> <li>● Pearl</li> <li>● Dark Silver</li> <li>● Champagne</li> <li>● Matt Black</li> </ul>
5	2 832 00	
5	2 834 00	
5	2 838 00	
5	2 820 00	
5	2 830 01	<b>1 gang - 2-way switch</b> <ul style="list-style-type: none"> <li>● Silver</li> <li>● Pearl</li> <li>● Dark Silver</li> <li>● Champagne</li> <li>● Matt Black</li> </ul>
5	2 832 01	
5	2 834 01	
5	2 838 01	
5	2 820 01	
4	2 830 08	<b>1 gang - intermediate switch</b> <ul style="list-style-type: none"> <li>● Silver</li> <li>● Pearl</li> <li>● Dark Silver</li> <li>● Champagne</li> <li>● Matt Black</li> </ul>
4	2 832 08	
4	2 834 08	
4	2 838 08	
5	2 830 02	<b>2 gang - 1-way switch</b> <ul style="list-style-type: none"> <li>● Silver</li> <li>● Pearl</li> <li>● Dark Silver</li> <li>● Champagne</li> <li>● Matt Black</li> </ul>
5	2 832 02	
5	2 834 02	
5	2 838 02	
5	2 820 02	
5	2 830 03	<b>2 gang - 2-way switch</b> <ul style="list-style-type: none"> <li>● Silver</li> <li>● Pearl</li> <li>● Dark Silver</li> <li>● Champagne</li> <li>● Matt Black</li> </ul>
5	2 832 03	
5	2 834 03	
5	2 838 03	
5	2 820 03	
5	2 830 04	<b>3 gang - 1-way switch</b> <ul style="list-style-type: none"> <li>● Silver</li> <li>● Pearl</li> <li>● Dark Silver</li> <li>● Champagne</li> <li>● Matt Black</li> </ul>
5	2 832 04	
5	2 834 04	
5	2 838 04	
5	2 820 04	
5	2 830 05	<b>3 gang - 2-way switch</b> <ul style="list-style-type: none"> <li>● Silver</li> <li>● Pearl</li> <li>● Dark Silver</li> <li>● Champagne</li> <li>● Matt Black</li> </ul>
5	2 832 05	
5	2 834 05	
5	2 838 05	
5	2 820 05	
5	2 830 06	<b>4 gang - 1-way switch</b> Compatible with metal boxes only, for installation fold the vertical lugs of the boxes <ul style="list-style-type: none"> <li>● Silver</li> <li>● Pearl</li> <li>● Dark Silver</li> <li>● Champagne</li> <li>● Matt Black</li> </ul>
5	2 832 06	
5	2 834 06	
5	2 838 06	
5	2 820 06	
5	2 830 07	<b>4 gang - 2-way switch</b> Compatible with metal boxes only, for installation fold the vertical lugs of the boxes <ul style="list-style-type: none"> <li>● Silver</li> <li>● Pearl</li> <li>● Dark Silver</li> <li>● Champagne</li> <li>● Matt Black</li> </ul>
5	2 832 07	
5	2 834 07	
5	2 838 07	
5	2 820 07	

Pack	Cat.Nos	Single pole illuminated switches 10 AX - 250 V~
		Transparent phosphorescent lens To be equipped with green or red LED according to the need: indicator or locator (p. 35) The LED is not supplied
5	2 830 10	<b>1 gang - 1-way switch</b> <ul style="list-style-type: none"> <li>● Silver</li> <li>● Pearl</li> <li>● Dark Silver</li> </ul>
5	2 832 10	
5	2 834 10	
5	2 830 11	<b>1 gang - 2-way switch</b> <ul style="list-style-type: none"> <li>● Silver</li> <li>● Pearl</li> <li>● Dark Silver</li> </ul>
5	2 832 11	
5	2 834 11	
4	2 830 09	<b>1 gang - intermediate switch</b> <ul style="list-style-type: none"> <li>● Silver</li> <li>● Pearl</li> <li>● Dark Silver</li> </ul>
4	2 832 09	
4	2 834 09	
5	2 830 12	<b>2 gang - 1-way switch</b> <ul style="list-style-type: none"> <li>● Silver</li> <li>● Pearl</li> <li>● Dark Silver</li> </ul>
5	2 832 12	
5	2 834 12	
5	2 830 13	<b>2 gang - 2-way switch</b> <ul style="list-style-type: none"> <li>● Silver</li> <li>● Pearl</li> <li>● Dark Silver</li> </ul>
5	2 832 13	
5	2 834 13	
5	2 830 14	<b>3 gang - 1-way switch</b> <ul style="list-style-type: none"> <li>● Silver</li> <li>● Pearl</li> <li>● Dark Silver</li> </ul>
5	2 832 14	
5	2 834 14	
5	2 830 15	<b>3 gang - 2-way switch</b> <ul style="list-style-type: none"> <li>● Silver</li> <li>● Pearl</li> <li>● Dark Silver</li> </ul>
5	2 832 15	
5	2 834 15	
5	2 830 16	<b>4 gang - 1-way switch</b> Compatible with metal boxes only, for installation fold the vertical lugs of the boxes <ul style="list-style-type: none"> <li>● Silver</li> <li>● Pearl</li> <li>● Dark Silver</li> </ul>
5	2 832 16	
5	2 834 16	
5	2 830 17	<b>4 gang - 2-way switch</b> Compatible with metal boxes only, for installation fold the vertical lugs of the boxes <ul style="list-style-type: none"> <li>● Silver</li> <li>● Pearl</li> <li>● Dark Silver</li> </ul>
5	2 832 17	
5	2 834 17	



# Mallia™

push-buttons, dimmers, automatic switches and other lighting functions - customisable colours



2 838 86

Plate selection charts **p. 31**

Painted polycarbonate front cover. Compact mechanism for greater wiring space  
Supplied with 2 screws M 3.5 for BS boxes. To be equipped with plates - Dim.: 86 x 86 mm

Pack	Cat.Nos		Pack	Cat.Nos	
		<b>Push-buttons 10 A - 250 V~</b>			<b>Leading edge dimmers (continued)</b>
		Conform to BS EN 60669-1			<b>Rotary dimmer</b>
		<b>N/O contact (push to make)</b>			60-1000 W (230 V) - 60-500 W (127 V) for incandescent and halogen lamps
5	2 830 41	● Silver			60-600 VA (230 V) 60-300 VA (127 V) for halogen lamps with electronic transformer with leading edge behaviour. 60-1000 VA (230 V) 60-500 W (127 V) for halogen lamps with ferromagnetic transformers
5	2 832 41	● Pearl			
5	2 834 41	● Dark Silver			
5	2 838 41	● Champagne			
5	2 820 41	● Matt Black			
		<b>N/O contact with bell symbol</b>			<b>NEW FUNCTION</b>
5	2 830 40	● Silver	1	2 830 85	● Silver
5	2 832 40	● Pearl	1	2 832 85	● Pearl
5	2 834 40	● Dark Silver	1	2 834 85	● Dark Silver
5	2 838 40	● Champagne			
5	2 820 40	● Matt Black			
		<b>RLC + LED dimmer</b>			<b>Fan speed controls</b>
		<b>Rotary dimmer without neutral</b>			Conform to BS EN 60669-2-1
		Conform to BS EN 60669-2-1			<b>NEW FUNCTION</b>
		100-240 V~ for all types of dimmable lamps:			<b>400 VA rotary fan controls</b>
		- dimmable LED: 5 to 75 W (10 lamps max.)			● Silver
		- dimmable compact fluorescent lamps: 5 to 75 W (10 lamps max.)			● Pearl
		- fluorescent tube with ballast: 5 to 300 VA			● Dark Silver
		- halogen and incandescent: 5 to 300 W			
		- electronic or ferromagnetic transformers: 5 to 300 VA			<b>NEW FUNCTION</b>
		When switched on, gradually (2 seconds) lights up at the level set before last switch off			<b>5-speed fan controls</b>
					100 W for fan with overall diameter 48"
1	2 830 86	● Silver	1	2 830 81	● Silver
1	2 832 86	● Pearl	1	2 832 81	● Pearl
1	2 834 86	● Dark Silver	1	2 834 81	● Dark Silver
1	2 838 86	● Champagne			
1	2 820 86	● Matt Black			
		<b>Active compensator</b>			
		<b>NEW FUNCTION</b>			
1	0 401 49	Allows to ensure compatibility of 2-wire electronic lighting controls without neutral with all available types of loads (LEDs, compact fluorescent lamps ELV halogen lamps with electronic or conventional ballast, 230 V halogen lamps, fluorescent tubes, incandescent lamps) Consumption: 0.4 W			
		<b>Leading edge dimmers</b>			
		Conform to BS EN 60669-2-1			
		<b>Rotary control dimmer</b>			
		60-500 W for incandescent and halogen lamps 230 V~. 60-500 VA ELV halogen lamps with ferromagnetic transformer and compensator Cat.No 0 401 39			
					<b>NEW FUNCTION</b>
1	2 830 80	● Silver			
1	2 832 80	● Pearl			
1	2 834 80	● Dark Silver			
1	2 838 80	● Champagne			
1	2 820 80	● Matt Black			

# Mallia™

telephone, data, television, shaver sockets and cable outlets - customisable colours



2 831 62

2 833 65

2 835 51

2 839 35

Plate selection charts **p. 31**

Painted polycarbonate front cover. Compact mechanism for greater wiring space. Supplied with 2 screws M 3.5 for BS boxes. To be equipped with plates - Dim.: 86 x 86 mm

Pack	Cat.Nos	Telephone sockets	Pack	Cat.Nos	Television sockets
5	2 831 60	<b>RJ 11 sockets - 4 contacts</b> 1/4 turn, tool-less connector <ul style="list-style-type: none"> <li>● Silver</li> <li>● Pearl</li> <li>● Dark Silver</li> <li>● Champagne</li> <li>● Matt Black</li> </ul>	5	2 831 57	For DVBT and satellite installation (with individual demodulator) Recommended coaxial cable 17 VATC <b>TV-R-SAT sockets - star attenuation 1.5 dB</b> TV: 5-68/120-862 MHz. R: 87.5-108 MHz SAT: 550-2400 MHz. TV: male connector (Ø9.5 mm) <ul style="list-style-type: none"> <li>● Silver</li> <li>● Pearl</li> <li>● Dark Silver</li> <li>● Champagne</li> <li>● Matt Black</li> </ul>
5	2 833 60		5	2 833 57	
5	2 835 60		5	2 835 57	
5	2 839 60		5	2 839 57	
5	2 821 60		5	2 821 57	
5	2 831 63	<b>Double RJ 11 sockets - 4 contacts</b> 1/4 turn, tool-less connector <ul style="list-style-type: none"> <li>● Silver</li> <li>● Pearl</li> <li>● Dark Silver</li> </ul>	5	2 831 53	<b>TV-R sockets- star attenuation 1.5 dB</b> TV: 5-68/120-862 MHz R: 87.5-108 MHz <ul style="list-style-type: none"> <li>● Silver</li> <li>● Pearl</li> <li>● Dark Silver</li> </ul>
5	2 833 63		5	2 833 53	
5	2 835 63		5	2 835 53	
5	2 831 61	<b>Data sockets</b> <b>RJ 45 Cat. 5e UTP</b> <ul style="list-style-type: none"> <li>● Silver</li> <li>● Pearl</li> <li>● Dark Silver</li> <li>● Champagne</li> <li>● Matt Black</li> </ul>	5	2 831 51	<b>TV sockets - star attenuation 1.5 dB</b> TV: 0-2400 MHz <ul style="list-style-type: none"> <li>● Silver</li> <li>● Pearl</li> <li>● Dark Silver</li> <li>● Champagne</li> <li>● Matt Black</li> </ul>
5	2 833 61		5	2 833 51	
5	2 835 61		5	2 835 51	
5	2 839 61		5	2 839 51	
5	2 821 61		5	2 821 51	
5	2 831 62	<b>RJ 45 Cat. 6 UTP</b> <ul style="list-style-type: none"> <li>● Silver</li> <li>● Pearl</li> <li>● Dark Silver</li> <li>● Champagne</li> <li>● Matt Black</li> </ul>	5	2 831 52	<b>TV sockets "F" type with screws- star attenuation 1.5 dB</b> SAT: 0-2400 MHz <ul style="list-style-type: none"> <li>● Silver</li> <li>● Pearl</li> <li>● Dark Silver</li> <li>● Champagne</li> <li>● Matt Black</li> </ul>
5	2 833 62		5	2 833 52	
5	2 835 62		5	2 835 52	
5	2 839 62		5	2 839 52	
5	2 821 62		5	2 821 52	
5	2 831 64	<b>Double RJ 45 Cat. 5e UTP</b> <ul style="list-style-type: none"> <li>● Silver</li> <li>● Pearl</li> <li>● Dark Silver</li> </ul>	5	2 831 55	<b>Shaver sockets</b> Conform to BS EN 61558-2-5 230 V / 120 V ~ - 50/60 Hz Dim.: 86 x 146 mm <ul style="list-style-type: none"> <li>● Silver</li> <li>● Pearl</li> <li>● Dark Silver</li> <li>● Champagne</li> <li>● Matt Black</li> </ul>
5	2 833 64		1	2 831 35	
5	2 835 64		1	2 833 35	
5	2 831 65	<b>Double RJ 45 Cat. 6 UTP</b> <ul style="list-style-type: none"> <li>● Silver</li> <li>● Pearl</li> <li>● Dark Silver</li> <li>● Champagne</li> <li>● Matt Black</li> </ul>	1	2 835 35	<b>Cable outlets</b> Conform to BS 5733 <b>20 A</b> <ul style="list-style-type: none"> <li>● Silver</li> <li>● Pearl</li> <li>● Dark Silver</li> <li>● Champagne</li> <li>● Matt Black</li> </ul>
5	2 833 65		1	2 839 35	
5	2 835 65		1	2 821 35	
5	2 839 65		5	2 831 47	
5	2 821 65		5	2 833 47	
5	2 831 66	<b>Telephone and data sockets</b> <b>RJ 11 + RJ 45 sockets Cat. 5e UTP</b> <ul style="list-style-type: none"> <li>● Silver</li> <li>● Pearl</li> <li>● Dark Silver</li> </ul>	5	2 835 47	<b>45 A - supplied complete with plate</b> <ul style="list-style-type: none"> <li>● Silver</li> <li>● Pearl</li> <li>● Dark Silver</li> <li>● Champagne</li> </ul>
5	2 833 66		5	2 839 47	
5	2 835 66		5	2 821 47	
5	2 835 66		5	2 831 48	

# Mallia™

multistandard and US standard socket outlets - customisable colours



2 839 22

Plate selection charts p. 36

Painted polycarbonate front cover. Compact mechanism for greater wiring space. Supplied with 2 screws M 3.5 for BS boxes  
All sockets integrate child protection  
Dim.: 86 x 86 mm

Pack	Cat.Nos	
		<b>Multistandard switched socket outlets - 16 A - 250 V / 15 A - 127 V</b>
		To be equipped with plates
5	2 831 20	 <b>2P+E - 1 gang</b> <ul style="list-style-type: none"> <li>● Silver</li> <li>● Pearl</li> <li>● Dark Silver</li> <li>● Champagne</li> <li>● Matt Black</li> </ul>
5	2 833 20	
5	2 835 20	
5	2 839 20	
5	2 821 20	
4	2 831 22	 <b>2P+E - 2 gang</b> <ul style="list-style-type: none"> <li>● Silver</li> <li>● Pearl</li> <li>● Dark Silver</li> <li>● Champagne</li> <li>● Matt Black</li> </ul>
4	2 833 22	
4	2 835 22	
4	2 839 22	
4	2 821 22	
		<b>Multistandard switched socket outlets 16 A - 250 V<math>\sim</math> / 15 A - 127 V<math>\sim</math> with USB charger</b>
		USB charger conform to IEC 60950-1 Supplied complete with plates
		<b>2P+E - 1 gang</b>
		NEW FUNCTION USB Type-A 2.4 A - 5 V $\equiv$ - 12 W Consumption in passive mode < 0.08 W
1	2 831 21	 <ul style="list-style-type: none"> <li>● Silver</li> <li>● Pearl</li> <li>● Dark Silver</li> <li>● Champagne</li> <li>● Matt Black</li> </ul>
1	2 833 21	
1	2 835 21	
1	2 839 21	
1	2 821 21	
		<b>2 x 2P+E - 2 gang</b>
		NEW FUNCTION USB Type-A + Type-C™ 3 A - 5 V $\equiv$ - 15 W Consumption in passive mode < 0.08 W
1	2 831 23	 <ul style="list-style-type: none"> <li>● Silver</li> <li>● Pearl</li> <li>● Dark Silver</li> <li>● Champagne</li> <li>● Matt Black</li> </ul>
1	2 833 23	
1	2 835 23	
1	2 839 23	
1	2 821 23	

# Mallia™ - Euro-US and German standard socket outlets

customisable colours



2 835 02

Plate selection charts p. 36

Painted polycarbonate front cover  
Compact mechanism for greater wiring space  
Supplied with 2 screws M 3.5 for BS boxes  
All sockets integrate child protection  
To be equipped with plates  
Dim.: 86 x 86 mm

Pack	Cat.Nos	
		<b>Euro-US standard socket outlets 16 A - 250 V<math>\sim</math></b>
		<b>2P - 1 gang</b>
5	2 831 00	 <ul style="list-style-type: none"> <li>● Silver</li> <li>● Pearl</li> <li>● Dark Silver</li> </ul>
5	2 833 00	
5	2 835 00	
		<b>2P - 1 gang + 10 A switch</b>
5	2 831 01	 <ul style="list-style-type: none"> <li>● Silver</li> <li>● Pearl</li> <li>● Dark Silver</li> </ul>
5	2 833 01	
5	2 835 01	
		<b>2P - 2 gang (separated connection)</b>
5	2 831 02	 <ul style="list-style-type: none"> <li>● Silver</li> <li>● Pearl</li> <li>● Dark Silver</li> </ul>
5	2 833 02	
5	2 835 02	
		<b>2P+E - 1 gang</b>
5	2 831 03	 <ul style="list-style-type: none"> <li>● Silver</li> <li>● Pearl</li> <li>● Dark Silver</li> </ul>
5	2 833 03	
5	2 835 03	
		<b>2P+E - 2 gang</b>
5	2 831 04	 <ul style="list-style-type: none"> <li>● Silver</li> <li>● Pearl</li> <li>● Dark Silver</li> </ul>
5	2 833 04	
5	2 835 04	
		<b>German standard socket outlets 16 A - 250 V<math>\sim</math></b>
		NEW FUNCTION <b>2P+E - 1 gang</b>
5	2 831 26	 <ul style="list-style-type: none"> <li>● Silver</li> <li>● Pearl</li> <li>● Dark Silver</li> </ul>
5	2 833 26	
5	2 835 26	

# Dedicated hotel functions

Create a positive guest experience

Besides switches, sockets, A/V sockets and sockets with USB charger, Mallia also offers specific functions for the guest room. They enhance the in-room comfort for the guest and contribute to making work easier for the hotel staff.



- The "Do not Disturb/ Please make up room" control unit allows guests to preserve quiet if they wish to - at the push of a button



- Mounted outside the guest room, the external unit notifies staff to "Make up room" or "Do not Disturb"



- The key card switch allows to power the room, and to disable devices when the customer is absent, thereby contributing to energy saving



- Shaver socket - convenient, as it can be used with European, British, American or Australian 2-pin plugs



2 838 45



2 834 97

Plate selection charts **p. 36**

Painted polycarbonate front cover  
Compact mechanism for greater wiring space  
Supplied with 2 screws M 3.5 for BS boxes  
To be equipped with plates  
Dim.: 86 x 86 mm

**Switches for hotels - 230 V~**

Pack	Cat.Nos
1	2 830 48
1	2 832 48
1	2 834 48
1	2 838 48
1	2 820 48

**Key card switches - 15 A**

Time delay around 30 s

- Silver
- Pearl
- Dark Silver
- Champagne
- Matt Black

**Do not disturb / Occupied / Clean up Bell push-buttons**

5	2 830 45
5	2 832 45
5	2 834 45
5	2 838 45
5	2 820 45

- Silver
- Pearl
- Dark Silver
- Champagne
- Matt Black

**Do not disturb / Clean up - 2 gang switches**

5	2 830 46
5	2 832 46
5	2 834 46
5	2 838 46
5	2 820 46

- Silver
- Pearl
- Dark Silver
- Champagne
- Matt Black

**Downlighters**

5	2 830 97
5	2 832 97
5	2 834 97

Low output downlighters 230 V~, with LED

- Silver
- Pearl
- Dark Silver



# Mallia™


plates, blanking plates, Arteor adaptors and accessories - customisable colours



2 819 65



2 819 78



2 819 76



2 818 92 + 2 819 10

Plate selection charts p. 36






















Pack	Cat.Nos	Plates
10	2 819 00	<b>1 gang - plastic</b> <ul style="list-style-type: none"> <li>○ White</li> <li>● Silver</li> <li>● Champagne</li> <li>● Pearl</li> <li>● Dark Silver</li> <li>● Brass</li> <li>● Bronze</li> <li>● Matt Black</li> <li>● Copper</li> </ul>
10	2 819 05	
10	2 819 10	
10	2 819 50	
10	2 819 55	
10	2 819 60	
10	2 819 65	
10	2 819 70	
10	2 819 75	
1	2 819 78	
1	2 819 82	
1	2 819 86	
1	2 819 90	
5	2 819 01	<b>2 x 1 gang - plastic</b> <ul style="list-style-type: none"> <li>○ White</li> <li>● Silver</li> <li>● Champagne</li> <li>● Pearl</li> <li>● Dark Silver</li> <li>● Brass</li> <li>● Bronze</li> <li>● Matt Black</li> <li>● Copper</li> </ul>
5	2 819 06	
5	2 819 11	
5	2 819 51	
5	2 819 56	
5	2 819 61	
5	2 819 66	
5	2 819 71	
5	2 819 76	
1	2 819 79	<b>2 x 1 gang - metal</b> <ul style="list-style-type: none"> <li>● Brushed Stainless Steel</li> <li>● Gold</li> <li>● Polished Stainless Steel</li> <li>● Lacquered Black</li> </ul>
1	2 819 83	
1	2 819 87	
1	2 819 91	

Pack	Cat.Nos	Blanking plates
10	2 811 90	<b>1 gang</b> <ul style="list-style-type: none"> <li>○ White - Supplied with plate</li> <li>● Silver - Not supplied with plate</li> <li>● Pearl - Not supplied with plate</li> <li>● Dark Silver - Not supplied with plate</li> <li>● Champagne - Not supplied with plate</li> <li>● Matt Black - Not supplied with plate</li> </ul>
10	2 831 90	
10	2 833 90	
10	2 818 90	
10	2 821 90	
5	2 811 91	
5	2 831 91	<b>2 gang</b> <ul style="list-style-type: none"> <li>○ White - Supplied with plate</li> <li>● Silver - Not supplied with plate</li> <li>● Pearl - Not supplied with plate</li> <li>● Dark Silver - Not supplied with plate</li> </ul>
5	2 833 91	
5	2 835 91	

Pack	Cat.Nos	Mosaic-Arteor adaptors
5	2 811 92	<b>1 gang</b> <ul style="list-style-type: none"> <li>○ White - Supplied with plate</li> <li>● Silver - Not supplied with plate</li> <li>● Pearl - Not supplied with plate</li> <li>● Dark Silver - Not supplied with plate</li> <li>● Champagne - Not supplied with plate</li> <li>● Matt Black - Not supplied with plate</li> </ul>
5	2 831 92	
5	2 833 92	
5	2 818 92	
5	2 821 92	
5	2 811 93	
5	2 831 93	<b>2 gang</b> <ul style="list-style-type: none"> <li>○ White - Supplied with plate</li> <li>● Silver - Not supplied with plate</li> <li>● Pearl - Not supplied with plate</li> <li>● Dark Silver - Not supplied with plate</li> </ul>
5	2 833 93	

Pack	Cat.Nos	Transparent rockers with label holders for switches
5	2 818 95	<div style="background-color: red; color: white; padding: 2px; font-weight: bold;">NEW FUNCTION</div> Can be used instead of the standard rocker plates Supplied with white labels 1 gang
5	2 818 96	2 gang
5	2 818 97	3 gang

Pack	Cat.Nos	Lamps
10	2 819 97	LED 220 V, green low consumption For locator use
10	2 819 98	LED 220 V, red - high luminosity For indicator use




PLATES		PLATES	
		1 gang	2 x 1 gang
White 		2 819 00	2 819 01
Silver 		2 819 05	2 819 06
Champagne 		2 819 10	2 819 11
Pearl 		2 819 50	2 819 51
Dark Silver 		2 819 55	2 819 56
Brass 		2 819 60	2 819 61
Bronze 		2 819 65	2 819 66
Matt Black 		2 819 70	2 819 71
Copper 		2 819 75	2 819 76
Metal Brushed Stainless Steel 		2 819 78	2 819 79
Metal Gold 		2 819 82	2 819 83
Metal Polished Stainless Steel 		2 819 86	2 819 87
Metal Lacquered Black 		2 819 90	2 819 91
PLATES		BLANKING PLATES	
		1 gang	2 x 1 gang
White 		2 811 90 <sup>(1)</sup>	2 811 91 <sup>(1)</sup>
Silver 		2 831 90 <sup>(2)</sup>	2 831 91 <sup>(2)</sup>
Pearl 		2 833 90 <sup>(2)</sup>	2 833 91 <sup>(2)</sup>
Dark Silver 		2 835 90 <sup>(2)</sup>	2 835 91 <sup>(2)</sup>
Champagne  <b>N</b>		2 818 90 <sup>(2)</sup>	-
Matt Black  <b>N</b>		2 821 90 <sup>(2)</sup>	-

1 : Supplied with plate  
2 : Not supplied with plate





**FOLLOW US  
ALSO ON**

- @ [www.legrand.com](http://www.legrand.com)
-  [www.youtube.com/user/legrand](http://www.youtube.com/user/legrand)
-  [twitter.com/legrand](http://twitter.com/legrand)
-  [pinterest.com/legrandgroup](http://pinterest.com/legrandgroup)



**BTicino (Thailand) Ltd.**  
**Bangkok | Office**  
10th F Ploenchit Center,  
2 Sukhumvit Road,  
Klongtoey, Bangkok 10110  
Tel. +66 (0) 2 656 9162 - 7  
Fax. +66 (0) 2 656 9197

**Bangkok | Showroom**  
12th F Ploenchit Center

<b>bticino</b> service	
<b>+66 (0) 2656 4630</b> <a href="mailto:info.thailand@bticino.com">info.thailand@bticino.com</a>	

[www.bticino.co.th](http://www.bticino.co.th)