

OPTIMIZATION, MODULARITY, AND FUTURE PROOF






The LEGRAND GROUP

AN ACTIVE INTERNATIONAL PRESENCE

OVER €6.6 BILLION IN TOTAL SALES IN 2019



ESTABLISHED IN OVER

COUNTRIES



SALE IN CLOSE TO 180 COUNTRIES



36,000 STAFF MEMBERS THROUGHOUT THE WORLD

LEGRAND DATA CENTER SOLUTIONS

The role of data centers is rapidly changing, in part driven by the cloud, data growth and IT cost reduction. Significantly more dynamic activities are taking place in the data center environment. This presents new challenges when it comes to designing and future-proofing data center infrastructure.

Building a data center demands a high degree of flexibility and a modular approach in order to be able to adapt to the ever-changing needs of the market. Projects are also becoming more and more complex due to increasing globalisation. Support and assistance from a well-informed, trustworthy partner is essential.

RELIABLE, EFFICIENT AND SCALABLE DATA CENTER INFRASTRUCTURES IS WHAT WE CREATE

With award-winning solutions from Legrand, Cablofil, Raritan and Starline you benefit from optimal uptime of mission-critical operations. Our team of local specialists design and build innovative solutions including enclosures, cooling, power, structured cabling and access management to meet your unique requirements. Relied upon by thousands of organisations for over 30 years, Legrand Data Center Solutions is your global partner to count on. For more information visit:

datacenter.legrand.com

Digital INFRASTRUCTURE

POWERED BY SPECIALISTS

La legrand®

Legrand cabling systems for the white space currently provide high-quality connectivity to more than 200 million devices. The Legrand Group is a world leader in communication networks for data transmission. Its investment in the development and design of structured cabling systems and solutions has enabled it to expand its offer and achieve the highest level of performance.



Cablofil is the global benchmark for cable management systems, with cable tray systems that are not only packed with technical features but are also cost-effective, Cablofil is continuously inventing new solutions for electrical installations, to ensure optimum ventilation for power cables. Combining robustness and durability, Cablofil cable tray and P31 OFT systems provide optimum protection for cables whilst ensuring installations remain flexible and scalable in the Data Centers.

Raritan

Raritan offers data center power management solutions that include intelligent PDUs, transfer switches, environmental rack controllers and sensors as well as serial console servers and KVM-over-IP switches. In over 76 countries and 60,000 locations worldwide, Raritan's award-winning hardware solutions increase energy efficiency, improve reliability, and raise productivity.

Starline

Universal Electric Corporation (UEC), the manufacturer of StarLine, is built on over 90 years of innovation in delivering safe and flexible power to a variety of industries, businesses and institutions. Starline is the perfect solution for power supply in Data Center with unique products that can be tapped instantly at any location. They can reduce downtime, as well as costs for expansion and new location, while providing ongoing customization and flexibility in power distribution.

YOUR BENEFITS

INCREASE YOUR ABILITY to scale according to your business requirements.

GET THE MAXIMUM from your existing & future IT equipment.

ADAPTED to all data center use.

ENHANCE your data center reliability.

SCALABILITY Racks

WHAT IS THE EVOLUTION CYCLE OF YOUR IT EQUIPMENT?

The customer's needs evolves with the advancement of technology.

With a full team of designers and full production capabilities, we enable data centers to respond quickly to their customers.

Complementing a comprehensive offer of racks and accessories, containment solutions, cages and PDUs. An experienced in house project management team ensures that projects are delivered without the hassle of coordinating multiple stakeholders.

What are the key considerations to selecting the right rack?



SmartRak 2.0

An optimized solution

- 27U to 47U
- Max. 1200Kg Static Weight Load





WHAT TYPE OF EQUIPMENT IS GOING TO BE INSTALLED IN THE RACK?

This will determine the size and loading capacity of the Rack selected.

HOW DO YOU MANAGE AIRFLOW, AIR LOSSES & HOT SPOTS IN YOUR DATACENTER?

This will determine which Rack and accessories you will select to manage airflows. A good solution will increase your servers lifetime

AIRFLOW MANAGEMENT


Cooling makes up to 50% of total energy costs

Effective cooling strategies can mitigate energy losses which translate into cost savings and increased lifetime for your servers.

With perforated doors

facilitating ventilation of up to 80%.

Legrand's racking solutions enable data centers to achieve greater cooling efficiency, resulting in more efficient use of energy.



AIRFLOW MANAGEMENT

Airflow management is the efficient guidance of the various airflows in data centers to keep the cold and hot air separated optimally. To optimize that cooling process, air leakage and recirculation must be minimized by using an airflow management package. Airflow management packages consist of a plate on the bottom & top of the Rack and brush accessories on the left and the right.

SCALABILITY

Racks

EzRak 2.0

EzRack 2.0 upgrades can be done seamlessly to accommodate electronic access control solutions. They comes ready with provision for an easy upgrade.



Rack Security

Electronic access control up to 2 FA level.



WHAT ARE YOUR SECURITY NEEDS TODAY AND TOMORROW?

Security can be as simple as a lock and key but data centers need to anticipate if the next customer requires a higher level access control system.

HOW DO YOU RUN YOUR CABLES?

Efficient routing of cables reduce cost and facilitate ease of maintenance.

CABLE MANAGEMENT



The racks are designed with adequate space for maintenance personnel to easily access the cable installation during maintenance.

EzRak 2.0 and SmartRak 2.0


accommodate both top and bottom cable entries with multifunctional cable trays to facilitate neat installation within the rack. Available also are accessories such as cable fingers and bobbins.

SCALABILITY

Racks

Racks and accessories are stored in our

facility in Singapore.



Enabling faster
deployment and
more efficient project and
resource planning.



HOW QUICKLY CAN YOU REACT TO THE CUSTOMER'S REQUEST?

EzRak 2.0 and SmartRak 2.0 are versatile racks that come with a set of standard accessories. They are easy to deploy and install without the need of skilled contractors or specialized tools.

WHAT IS THE EXPANSION ROADMAP OF THE DATA CENTER?

The investments made today will not see returns in the future if it is unable to meet the changing needs of the customer.

FLEXIBILITY



Safe guard the investment today with racks and solutions that are versatile enough to meet future needs.

Racks can be easily upgraded

to connected assets with the addition of access controls, environmental sensors, smart PDUs without retrofitting works that disrupt operations.

Stand Alone and Extention Cabinets



NEZ45612BA

Future ready server rack cabinet suitable for use with patching, network and server equipment.

Stand-alone racks come with quick release side panels / Extension racks comes with bay-up kit but without side panels

Supplied with 2 single doors (600 mm width) or 1 single door & 1 double-leaf door (800 mm) - Standard door lock supplied with 02 Keys.

Fully perforated honeycomb door with up to 82% ventilation.

Top panel comes with 2 cable entries with brush.

Racks are equipped with 2 pairs panel mounts (front and back) with "U" markings.

Supplied with one 8" cable tray for racks of 600 mm width and two 8" cable trays for racks of 800 mm width.

Racks supplied with 4 levelling feet & 50 cage nuts and screws.

Static weight load: 1,800 Kg

Future Ready: Rack ready for seamless access control upgrade.

Color: Black Texture (RAL 9005)

Pack		Cat.Nos EzRak 2.0 - Stand alone rack		Pack		Cat.Nos		EzRak 2.0 - Extension					
				atone r	аск						rack		
						I						l	1
		Assembled	Flatpack	Capacity	Width (mm)	Depth (mm)			Assembled	Flatpack	Capacity	Width (mm)	Depth (mm)
1	4	NEZ42610BA	NEZ42610BP	42U	600	1000	1	4	NEZ42610BAEX	NEZ42610BPEX	42U	600	1000
1	4	NEZ42611BA	NEZ42611BP	42U	600	1100	1	4	NEZ42611BAEX	NEZ42611BPEX	42U	600	1100
1	4	NEZ42612BA	NEZ42612BP	42U	600	1200	1	4	NEZ42612BAEX	NEZ42612BPEX	42U	600	1200
1	4	NEZ42810BA	NEZ42810BP	42U	800	1000	1	4	NEZ42810BAEX	NEZ42810BPEX	42U	800	1000
1	4	NEZ42811BA	NEZ42811BP	42U	800	1100	1	4	NEZ42811BAEX	NEZ42811BPEX	42U	800	1100
1	4	NEZ42812BA	NEZ42812BP	42U	800	1200	1	4	NEZ42812BAEX	NEZ42812BPEX	42U	800	1200
1	4	NEZ45610BA	NEZ45610BP	45U	600	1000	1	4	NEZ45610BAEX	NEZ45610BPEX	45U	600	1000
1	4	NEZ45611BA	NEZ45611BP	45U	600	1100	1	4	NEZ45611BAEX	NEZ45611BPEX	45U	600	1100
1	4	NEZ45612BA	NEZ45612BP	45U	600	1200	1	4	NEZ45612BAEX	NEZ45612BPEX	45U	600	1200
1	4	NEZ45810BA	NEZ45810BP	45U	800	1000	1	4	NEZ45810BAEX	NEZ45810BPEX	45U	800	1000
1	4	NEZ45811BA	NEZ45811BP	45U	800	1100	1	4	NEZ45811BAEX	NEZ45811BPEX	45U	800	1100
1	4	NEZ45812BA	NEZ45812BP	45U	800	1200	1	4	NEZ45812BAEX	NEZ45812BPEX	45U	800	1200
1	4	NEZ47610BA	NEZ47610BP	47U	600	1000	1	4	NEZ47610BAEX	NEZ47610BPEX	47U	600	1000
1	4	NEZ47611BA	NEZ47611BP	47U	600	1100	1	4	NEZ47611BAEX	NEZ47611BPEX	47U	600	1100
1	4	NEZ47612BA	NEZ47612BP	47U	600	1200	1	4	NEZ47612BAEX	NEZ47612BPEX	47U	600	1200
1	4	NEZ47810BA	NEZ47810BP	47U	800	1000	1	4	NEZ47810BAEX	NEZ47810BPEX	47U	800	1000
1	4	NEZ47811BA	NEZ47811BP	47U	800	1100	1	4	NEZ47811BAEX	NEZ47811BPEX	47U	800	1100
1	4	NEZ47812BA	NEZ47812BP	47U	800	1200	1	4	NEZ47812BAEX	NEZ47812BPEX	47U	800	1200
1	4	NEZ48610BA	NEZ48610BP	48U	600	1000	1	4	NEZ48610BAEX	NEZ48610BPEX	48U	600	1000
1	4	NEZ48611BA	NEZ48611BP	48U	600	1100	1	4	NEZ48611BAEX	NEZ48611BPEX	48U	600	1100
1	4	NEZ48612BA	NEZ48612BP	48U	600	1200	1	4	NEZ48612BAEX	NEZ48612BPEX	48U	600	1200
1	4	NEZ48810BA	NEZ48810BP	48U	800	1000	1	4	NEZ48810BAEX	NEZ48810BPEX	48U	800	1000
1	4	NEZ48811BA	NEZ48811BP	48U	800	1100	1	4	NEZ48811BAEX	NEZ48811BPEX	48U	800	1100
1	4	NEZ48812BA	NEZ48812BP	48U	800	1200	1	4	NEZ48812BAEX	NEZ48812BPEX	48U	800	1200
1	4	NEZ50610BA	NEZ50610BP	50U	600	1000	1	4	NEZ50610BAEX	NEZ50610BPEX	50U	600	1000
1	4	NEZ50611BA	NEZ50611BP	50U	600	1100	1	4	NEZ50611BAEX	NEZ50611BPEX	50U	600	1100
1	4	NEZ50612BA	NEZ50612BP	50U	600	1200	1	4	NEZ50612BAEX	NEZ50612BPEX	50U	600	1200
1	4	NEZ50810BA	NEZ50810BP	50U	800	1000	1	4	NEZ50810BAEX	NEZ50810BPEX	50U	800	1000
1	4	NEZ50811BA	NEZ50811BP	50U	800	1100	1	4	NEZ50811BAEX	NEZ50811BPEX	50U	800	1100
1	4	NEZ50812BA	NEZ50812BP	50U	800	1200	1	4	NEZ50812BAEX	NEZ50812BPEX	50U	800	1200
1	4	NEZ52610BA	NEZ52610BP	52U	600	1000	1	4	NEZ52610BAEX	NEZ52610BPEX	52U	600	1000
1	4	NEZ52611BA	NEZ52611BP	52U	600	1100	1	4	NEZ52611BAEX	NEZ52611BPEX	52U	600	1100
1	4	NEZ52612BA	NEZ52612BP	52U	600	1200	1	4	NEZ52612BAEX	NEZ52612BPEX	52U	600	1200
1	4	NEZ52810BA	NEZ52810BP	52U	800	1000	1	4	NEZ52810BAEX	NEZ52810BPEX	52U	800	1000
1	4	NEZ52811BA	NEZ52811BP	52U	800	1100	1	4	NEZ52811BAEX	NEZ52811BPEX	52U	800	1100
1	4	NEZ52812BA	NEZ52812BP	52U	800	1200	1	4	NEZ52812BAEX	NEZ52812BPEX	52U	800	1200
1													

^{1:} To change the back single door to a bi-fold door on a 600mm width rack, add suffix "-BF" to the part number of the rack For example : NEZ45612BA with a back bi-fold door becomes NEZ45612BA-BF

Side Panels




201 431	00	LZJ	1 40100		.211 30100
Pack	Cat.Nos	Colocation panel w 4 Cable entries (2 w	ith brush and 2 blanked)	Pack	Cat.Nos
		Color: Black Texture	ed (RAL 9005)		
		Capacity	Depth (mm)		
1	EZCP4210B	42U	1000		
1	EZCP4211B	42U	1100	1	EZSP4210B
1	EZCP4212B	42U	1200	1	EZSP4211B
1	EZCP4510B	45U	1000	1	EZSP4212B
1	EZCP4511B	45U	1100	1	EZSP4510B
1	EZCP4512B	45U	1200	1	EZSP4511B
1	EZCP4710B	47U	1000	1	EZSP4512B
1	EZCP4710B	47U	1100	1	EZSP4710B
1	EZCP47112B	47U	1200	1	EZSP4710B
	570540405			1	EZSP4712B
1	EZCP4810B EZCP4811B	48U	1000		5705/0405
1	EZCP4811B EZCP4812B	48U	1100 1200	1	EZSP4810B
'	LZC1 4012B	48U	1200	1	EZSP4811B EZSP4812B
1	EZCP5010B	50U	1000	1	EZ3P4012B
1	EZCP5011B	50U	1100	1	EZSP5010B
1	EZCP5012B	50U	1200	1	EZSP5011B
1	EZCP5210B	52U	1000	1	EZSP5012B
1	EZCP5211B	52U	1100	1	EZSP5210B
1	EZCP5212B	52U	1200	1	EZSP5211B
		Future Proof Side	Panel	1	EZSP5212B
		Side panel with 4 sli			
			es. Comes with 2 quick	1	CAML01
		push release (lock r Color: Black Texture			
			Depth	1	BRUSH38
		Capacity	(mm)		
1	EZFP4210B	42U	1000	1	CVR38B
1	EZFP4211B	42U	1100		
1	EZFP4212B	42U	1200		
1	EZFP4510B	45U	1000		
1	EZFP4511B	45U	1100		
1	EZFP4512B	45U	1200		
1	EZFP4710B	47U	1000		
1	EZFP4711B	47U	1100		
1	EZFP4712B	47U	1200		
1	EZFP4810B	48U	1000		
1	EZFP4811B	48U	1100		
1	EZFP4812B	48U	1200		
1	E7EDE010D	FOLI	1000		
1	EZFP5010B EZFP5011B	50U 50U	1000 1100		
1	EZFP5011B	50U	1200		
1	EZFP5210B	52U	1000		
1	EZFP5211B	52U	1100		
1	EZFP5212B	52U	1200		

Pack	Cat.Nos	Plain side panel Side panel without lo With 2 quick push rel Color: Black Textured	ease
		Capacity	Depth (mm)
1	EZSP4210B	42U	1000
1	EZSP4211B	42U	1100
1	EZSP4212B	42U	1200
1	EZSP4510B	45U	1000
1	EZSP4511B	45U	1100
1	EZSP4512B	45U	1200
1	EZSP4710B	47U	1000
1	EZSP4711B	47U	1100
1	EZSP4712B	47U	1200
1	EZSP4810B	48U	1000
1	EZSP4811B	48U	1100
1	EZSP4812B	48U	1200
1	EZSP5010B	50U	1000
1	EZSP5011B	50U	1100
1	EZSP5012B	50U	1200
1	EZSP5210B	52U	1000
1	EZSP5211B	52U	1100
1	EZSP5212B	52U	1200
1	CAML01	Accessories for pan Lock for 1 side panel	nel , supplied with 2 keys.
1	BRUSH38	Set of 2 brushes for 3 colocation panel	380mm cable entry for
1	CVR38B	Set of 2 blanking pan	els for colocation panel

Air Flow Management Kits and other accessories







EZABT600B	EZABS45B
-----------	----------

Pack	Cat.Nos	Airflow Management Accessories	Pack	Cat.Nos	Airflow Management Trim Kit
		19" ABS blanking plates			To prevent mixing of air from 2 adjacent racks
		Tooless installation blanking planel			Color: Black Textured (RAL 9005)
		for airflow management	1	EZTK42B	42 U
		Operating Temperature: -40°C to 100°C	1	EZTK45B	45 U
		Color: Black	1	EZTK47B	47 U
		Cotor. Black	1	EZTK48B	48 U
10	EZBP1UB	EZSnap 1U BLANK PANEL	1	EZTK50B	50 U
5	EZBP3UB	EZSnap 3U BLANK PANEL	1	EZTK52B	52 U
		Airflow Baffles			Bottom plate with cable entry for
		To further minimise air leakage and			EzRak 2.0
		prevent mixing of air, Recommended			Color: Black Textured (RAL 9005)
		for use in high density installations to			
		enhance cooling efficiency	1	EZBP610B	For rack 600 x 1000
			1	EZBP611B	For rack 600 x 1100
1	EZABT600B	Top and bottom baffle plates 1 pair for 600mm width rack - black color	1	EZBP612B	For rack 600 x 1200
1	EZABT800B	1 pair for 800mm width rack - black color	1	EZBP810B	For rack 800 x 1000
			1	EZBP811B	For rack 800 x 1100
		Side baffle accessories	1	EZBP812B	For rack 800 x 1200
		Brush to cover gap between panel mount and side panel			Bay-up kit
		(for 600mm & 800mm width rack)	1	F7BUK01B	EZRack standard bay up
1	EZABS42B	42 U - 1 Pair with brush	'	LZBOKUIB	kit for joining 2 racks
1	EZABS45B	45 U - 1 Pair with brush			Consists of 4 bay up plates (Top
1	EZABS47B	47 U - 1 Pair with brush			and bottom, front and back)
1	EZABS48B	48 U - 1 Pair with brush			Dlinthe
1	EZABS50B	50 U - 1 Pair with brush			Plinths
1	EZABS52B	52 U - 1 Pair with brush			Complete set consisting of 4 corners blocks and
		Brush to cover openings at windows (for 800mm width rack only)			4 removables plates Height 100 mm
1	EZSBS42B	42 U - 1 Pair of brush	1	EZP610B	600 x 1000
1	EZSBS45B	45 U - 1 Pair of brush	1	EZP611B	600 x 1100
1	EZSBS47B	47 U - 1 Pair of brush	1	EZP612B	600 x 1200
1	EZSBS48B	48 U - 1 Pair of brush			
1	EZSBS50B	50 U - 1 Pair of brush	1	EZP810B	800 x 1000
1	EZSBS52B	52 U - 1 Pair of brush	1	EZP811B	800 x 1100
		_	1	EZP812B	800 x 1200

Cable Management and other accessories

EZCMC52B 52 U



Pack	Cat.Nos	Cable Management Accessories	Pack	Cat.Nos	Vertical Cable Rings
		Cable management ABS Windows Complete set for 2 reducing channel	1	EZCARI42B	Suitable for racks of 600mm Width (For rack height 42U) - set of 2
		(Left and Right) For 800mm width racks only (Black)	1	EZCARI45B	Suitable for racks of 600mm Width (For rack height 45U to 47U) - set of 2
1 1	EZCMW42B EZCMW47B	For 42 U or 45 U rack (2 x 9 pieces) For 47 U or 50 U rack (2 x 10 pieces) For 52 U rack (2 x 11 pieces)	1	EZCARI48B	Suitable for racks of 600mm Width (For rack height 48U to 52U) - set of 2
1	EZCMW52B	For 52 O rack (2 x 11 pieces)			Cable tray
		Cable management ABS Bobins	1	EZCT42B	8 inches cable tray (For rack height 42U)
		Complete set for 2 reducing channel For 800mm width racks only (Black)	1	EZCT45B	8 inches cable tray (For rack height 45U to 47U)
1	EZCMB42B	For 42 U or 45 U rack (2 x 9 pieces)	1	EZCT48B	8 inches cable tray (For rack height 48U to 52U)
1	EZCMB47B EZCMB52B	For 47 U or 50 U rack (2 x 10 pieces) For 52 U rack (2 x 11 pieces)			Brush for top panel cable entry UL fire rated clip-on brush (UL 94-V0)
		Cable management ABS fingers	1	EZBRUSH84	840mm Length
		Complete set for 2 reducing channel (Left and Right) For 800mm width racks only			PDU Mounting Bracket For quick fixing buttons PDU
1	EZCMA42B	42 U	1	EZPDUMB	Universal mounting bracket (Set of 2)
1	EZCMA45B	45 U	1	EZPDUVB	Vertical Mounting Bracket (Set of 2)
1	EZCMA47B	47 U			j ,
1	EZCMA48B	48 U			Chasis runner
1	EZCMA50B	50 U			Set of 2 complete with bolts & nuts / Black color
1	EZCMA52B	52 U			& nuts / Black cotor
		Cable management ABS fingers	1	EZCSR36B	Chasis Runner 363mm
		with cover	1	EZCSR47B	Chasis Runner 463mm
		Complete set for 2 reducing channel	1	EZCSR56B	Chasis Runner 563mm
		For 800mm width racks only	1	EZCSR66B	Chasis Runner 663mm
			1	EZCSR76B	Chasis Runner 763mm
1	EZCMC42B	42 U			
1	EZCMC45B EZCMC47B	45 U			
1	EZCMC47B EZCMC48B	47 U 48 U			
1	FZCMC50B	48 U			
	220.4000				

Stand Alone and Extention Cabinets



NEZ45612WA

Future ready server rack cabinet suitable for use with patching, network and server equipment.

Stand-alone racks come with quick release side panels / Extension racks comes with bay-up kit but without side panels

EzDak 2 0 - Stand

Supplied with 2 single doors (600 mm width) or 1 single door & 1 double-leaf door (800 mm) - Standard door lock supplied with 02 Keys. Fully perforated honeycomb door with up to 82% ventilation.

Top panel comes with 2 cable entries with brush.

Racks are equipped with 2 pairs panel mounts (front and back) with "U" markings.
Supplied with one 8" cable tray for racks of 600 mm width and two 8" cable trays for racks of 800 mm width.

Racks supplied with 4 levelling feet & 50 cage nuts and screws.

Static weight load: 1,800 Kg

Future Ready: Rack ready for seamless access control upgrade. Color: White (RAL 9016)

Pack				EzRak 2.0 - Stand Pack		ck	Cat.Nos		EzRak 2.0 - Extension				
				atone r	ack						rack		
					I	1						l	1
		Assembled	Flatpack	Capacity	Width (mm)	Depth (mm)			Assembled	Flatpack	Capacity	Width (mm)	Depth (mm)
1	4	NEZ42610WA	NEZ42610WP	42U	600	1000	1	4	NEZ42610WAEX	NEZ42610WPEX	42U	600	1000
1	4	NEZ42611WA	NEZ42611WP	42U	600	1100	1	4	NEZ42611WAEX	NEZ42611WPEX	42U	600	1100
1	4	NEZ42612WA	NEZ42612WP	42U	600	1200	1	4	NEZ42612WAEX	NEZ42612WPEX	42U	600	1200
1	4	NEZ42810WA	NEZ42810WP	42U	800	1000	1	4	NEZ42810WAEX	NEZ42810WPEX	42U	800	1000
1	4	NEZ42811WA	NEZ42811WP	42U	800	1100	1	4	NEZ42811WAEX	NEZ42811WPEX	42U	800	1100
1	4	NEZ42812WA	NEZ42812WP	42U	800	1200	1	4	NEZ42812WAEX	NEZ42812WPEX	42U	800	1200
1	4	NEZ45610WA	NEZ45610WP	45U	600	1000	1	4	NEZ45610WAEX	NEZ45610WPEX	45U	600	1000
1	4	NEZ45611WA	NEZ45611WP	45U	600	1100	1	4	NEZ45611WAEX	NEZ45611WPEX	45U	600	1100
1	4	NEZ45612WA	NEZ45612WP	45U	600	1200	1	4	NEZ45612WAEX	NEZ45612WPEX	45U	600	1200
1	4	NEZ45810WA	NEZ45810WP	45U	800	1000	1	4	NEZ45810WAEX	NEZ45810WPEX	45U	800	1000
1	4	NEZ45811WA	NEZ45811WP	45U	800	1100	1	4	NEZ45811WAEX	NEZ45811WPEX	45U	800	1100
1	4	NEZ45812WA	NEZ45812WP	45U	800	1200	1	4	NEZ45812WAEX	NEZ45812WPEX	45U	800	1200
1	4	NEZ47610WA	NEZ47610WP	47U	600	1000	1	4	NEZ47610WAEX	NEZ47610WPEX	47U	600	1000
1	4	NEZ47611WA	NEZ47611WP	47U	600	1100	1	4	NEZ47611WAEX	NEZ47611WPEX	47U	600	1100
1	4	NEZ47612WA	NEZ47612WP	47U	600	1200	1	4	NEZ47612WAEX	NEZ47612WPEX	47U	600	1200
1	4	NEZ47810WA	NEZ47810WP	47U	800	1000	1	4	NEZ47810WAEX	NEZ47810WPEX	47U	800	1000
1	4	NEZ47811WA	NEZ47811WP	47U	800	1100	1	4	NEZ47811WAEX	NEZ47811WPEX	47U	800	1100
1	4	NEZ47812WA	NEZ47812WP	47U	800	1200	1	4	NEZ47812WAEX	NEZ47812WPEX	47U	800	1200
1	4	NEZ48610WA	NEZ48610WP	48U	600	1000	1	4	NEZ4861WAEX	NEZ48610WPEX	48U	600	1000
1	4	NEZ48611WA	NEZ48611WP	48U	600	1100	1	4	NEZ48611WAEX	NEZ48611WPEX	48U	600	1100
1	4	NEZ48612WA	NEZ48612WP	48U	600	1200	1	4	NEZ48612WAEX	NEZ48612WPEX	48U	600	1200
1	4	NEZ48810WA	NEZ48810WP	48U	800	1000	1	4	NEZ48810WAEX	NEZ48810WPEX	48U	800	1000
1	4	NEZ48811WA	NEZ48811WP	48U	800	1100	1	4	NEZ48811WAEX	NEZ48811WPEX	48U	800	1100
1	4	NEZ48812WA	NEZ48812WP	48U	800	1200	1	4	NEZ48812WAEX	NEZ48812WPEX	48U	800	1200
1	4	NEZ50610WA	NEZ50610WP	50U	600	1000	1	4	NEZ50610WAEX	NEZ50610WPEX	50U	600	1000
1	4	NEZ50611WA	NEZ50611WP	50U	600	1100	1	4	NEZ50611WAEX	NEZ50611WPEX	50U	600	1100
1	4	NEZ50612WA	NEZ50612WP	50U	600	1200	1	4	NEZ50612WAEX	NEZ50612WPEX	50U	600	1200
1	4	NEZ50810WA	NEZ50810WP	50U	800	1000	1	4	NEZ50810WAEX	NEZ50810WPEX	50U	800	1000
1	4	NEZ50811WA	NEZ50811WP	50U	800	1100	1	4	NEZ50811WAEX	NEZ50811WPEX	50U	800	1100
1	4	NEZ50812WA	NEZ50812WP	50U	800	1200	1	4	NEZ50812WAEX	NEZ50812WPEX	50U	800	1200
1	4	NEZ52610WA	NEZ52610WP	52U	600	1000	1	4	NEZ52610WAEX	NEZ52610WPEX	52U	600	1000
1	4	NEZ52611WA	NEZ52611WP	52U	600	1100	1	4	NEZ52611WAEX	NEZ52611WPEX	52U	600	1100
1	4	NEZ52612WA	NEZ52612WP	52U	600	1200	1	4	NEZ52612WAEX	NEZ52612WPEX	52U	600	1200
		NEZ52810WA	NEZ52810WP	52U	800	1000	1	4	NEZ52810WAEX	NEZ52810WPEX	52U	800	1000
		NEZ52811WA	NEZ52811WP	52U	800	1100	1	4	NEZ52811WAEX	NEZ52811WPEX	52U	800	1100
		NEZ52812WA	NEZ52812WP	52U	800	1200	1	4	NEZ52812WAEX	NEZ52812WPEX	52U	800	1200

Doole

EzPak 2 0 - Extension

^{1:} To change the back single door to a bi-fold door on a 600mm width rack, add suffix "-BF" to the part number of the rack For example : NEZ45612BA with a back bi-fold door becomes NEZ45612BA-BF

Side Panels







Pack	Cat.Nos	Colocation panel w	
		4 Cable entries (2 with blanked)	h brush and 2
		Color : White (RAL 90)16)
		Capacity	Depth (mm)
1	EZCP4210W	42U	1000
1	EZCP4211W	42U	1100
1	EZCP4212W	42U	1200
1	EZCP4510W	45U	1000
1	EZCP4511W	45U	1100
1	EZCP4512W	45U	1200
1	EZCP4710W	47U	1000
1	EZCP4711W	47U	1100
1	EZCP4712W	47U	1200
1	EZCP4810W	48U	1000
1	EZCP4811W	48U	1100
1	EZCP4812W	48U	1200
1	EZCP5010W	50U	1000
1	EZCP5011W	50U	1100
1	EZCP5012W	50U	1200
1	EZCP5210W	52U	1000
1	EZCP5211W	52U	1100
1	EZCP5212W	52U	1200
		Future Proof Side P	
		Side panel with 4 slid brushed cable entrie	
		quick push release (l	ock not supplied)
		Color : White (RAL 90	1
		Capacity	Depth (mm)
1	EZFP4210W	42U	1000
1	EZFP4211W	42U	1100
1	EZFP4212W	42U	1200
1	EZFP4510W	45U	1000
1	EZFP4511W	45U	1100
1	EZFP4512W	45U	1200
1	EZFP4710W	47U	1000
1	EZFP4711W	47U	1100
1	EZFP4712W	47U	1200
1	EZFP4810W	48U	1000
1	EZFP4811W	48U	1100
1	EZFP4812W	48U	1200
1	EZFP5010W	50U	1000
1	EZFP5011W	50U	1100
1	EZFP5012W	50U	1200

EZFP5210W

EZFP5211W

EZFP5212W

52U

52U

52U

1000

1100

1200

Pack	Cat.Nos	Plain side panel	
		Side panel without	
		With 2 quick push Color : White (RAL	
		Color : White (RAL	. 9016)
		Capacity	Depth (mm)
1	F7SP4210W	/ 21.1	1000
1		42U 42U	.000
·	EZSP4211W		1100
1	EZSP4212W	42U	1200
1	EZSP4510W	45U	1000
1	EZSP4511W	45U	1100
1	EZSP4512W	45U	1200
1	F7SP4710W	47U	1000
1	F7SP4711W	47U	1100
1	EZSP4712W	47U	1200
1	EZSP4810W	48U	1000
1	EZSP4811W	48U	1100
1	EZSP4812W	48U	1200
1	EZSP5010W	50U	1000
1	F7SP5011W	50U	1100
1	EZSP5012W	50U	1200
·			
1	EZSP5210W	52U	1000
1	EZSP5211W	52U	1100
1	EZSP5212W	52U	1200
		Accessories for p	oanel
1	CAML01	Lock for 1 side par with 2 keys	nel, supplied
1	BRUSH38	Set of 2 brushes for entry for colocation	
1	CVR38W	Set of 2 blanking p colocation panel	panels for

Air Flow Management Kits and other accessories







EZP610W Base Plinth

EZABT600W Top and Bottom Cover for Air Management

EZABS45W Brush to cover gap between the panel mount and side panel

Pack Cat.Nos Airflow Management Accessories 19" ABS blanking plates Tooless installation blanking plates for airflow management Operating Temperature: -40oC to 100oC Color: White 10 EZBP1UW EZSnap 1U BLANK PANEL Pack Cat.Nos Airflow Management Trim Kit To prevent mixing of air from 2 adjacent rack Color: White (RAL 9016) EZTK42W 42 U EZTK45W 45 U	cks
Tooless installation blanking plates for airflow management Operating Temperature: -40oC to 100oC 1 EZTK42W 42 U Color: White (RAL 9016) 10 EZTK45W 45 U	cks
Operating Temperature: -40oC to 100oC 1 EZTK42W 42 U Color: White 1 EZTK45W 45 U	
Color: White 1 EZTK45W 45 U	
10 F7DD1IW F7Cpop 111 DLANIZ DANIZ	
1 EZTK47W 47 U	
1 EZTK48W 48 U	
Airflow Baffles 1 EZTK50W 50 U	
To further minimise air leakage and 1 EZTK52W 52 U prevent mixing of air, Recommended for use in high density installations	
to enhance cooling efficiency Bottom plate with cable entry for EzRak 2	₹ 2.0
Color: White (RAL 9016)	
Top and bottom baffle plates	
1 EZABT600W 1 pair for 600mm width rack - white color 1 EZBP610W For rack 600 x 1000	
1 EZABT800W 1 pair for 800mm width rack - white color 1 EZBP611W For rack 600 x 1100	
1 EZBP612W For rack 600 x 1200	
Side baffle accessories	
Brush to cover gap between panel mount 1 EZBP810W For rack 800 x 1000	
and side panel 1 EZBP811W For rack 800 x 1100 (for 600mm & 800mm width rack)	
1 EZABS42W 42 U - 1 Pair with brush	
1 EZABS45W 45 U - 1 Pair with brush	
1 EZABS47W 47 U - 1 Pair with brush Bay-up kit	
1 EZBUK01W EZRack standard bay up kit for joining 2 rack	cks
Consists of 4 bay up plates (Top and bottom, front and back)	
1 EZABS52W 52 U - 1 Pair with brush	
Plinths	
	rs and
Brush to cover openings at windows (for 800mm width rack only) Complete set consisting of 4 corners blocks 4 removables plates Height 100 mm	.5 and
1 EZSBS42B 42 U - 1 Pair of brush	
1 EZSBS45B 45 U - 1 Pair of brush 1 EZP610W 600 x 1000	
1 EZSBS47B 47 U - 1 Pair of brush 1 EZP611W 600 x 1100	
1 EZSBS48B 48 U - 1 Pair of brush 1 EZP612W 600 x 1200	
1 EZSBS50B 50 U - 1 Pair of brush 1 EZP810W 800 x 1000	
1 EZSBS52B 52 U - 1 Pair of brush 1 EZP811W 800 x 1100	
1 EZP812W 800 x 1200	

Cable Management and other accessories











EZCMC42W Cable management ABS fingers with cover

EZCMA42W Cable management ABS Fingers

EZCT42W Cable Tray


EZPDUMW

Pack	Cat.Nos	Cable Management Accessories
1 1	EZCMW42W EZCMW47W EZCMW52W	Cable management ABS Windows Complete set for 2 reducing channel (Left and Right) For 800mm width racks only (RAL 7035) For 42 U or 45 U rack (2 x 9 pieces) For 47 U or 50 U rack (2 x 10 pieces)
ı	EZGMWVJZW	For 52 U rack (2 x 11 pieces)
1 1 1	EZCMB42W EZCMB47W EZCMB52W	Cable management ABS Bobins Complete set for 2 reducing channel For 800mm width racks only (RAL 7035) For 42 U or 45 U rack (2 x 9 pieces) For 47 U or 50 U rack (2 x 10 pieces) For 52 U rack (2 x 11 pieces)
		Cable management ABS fingers
		Complete set for 2 reducing channel (Left and Right) For 800mm width racks only
1	EZCMA42W	42 U
1	EZCMA45W	45 U
1	EZCMA47W FZCMA48W	47 U
1	EZCMA50W	48 U 50 U
1	EZCMA52W	52 U
		Cable management ABS fingers with cover Complete set for 2 reducing channel
		For 800mm width racks only
1	EZCMC42W	42 U
1	EZCMC45W	45 U
1	EZCMC47W	47 U
1	EZCMC48W	48 U
1	EZCMC50W EZCMC52W	50 U 52 U
1	LZCMC3ZW	32 U

Pack	Cat.Nos	Vertical Cable Rings
1	EZCARI42W	Suitable for racks of 600mm Width (For rack height 42U) - set of 2
1	EZCARI45W	Suitable for racks of 600mm Width (For rack height 45U to 47U) - set of 2
1	EZCARI48W	Suitable for racks of 600mm Width (For rack height 48U to 52U) - set of 2
		Cable tray
1	EZCT42W	8 inches cable tray (For rack height 42U)
1	EZCT45W	8 inches cable tray (For rack height 45U to 47U)
1	EZCT48W	8 inches cable tray (For rack height 48U to 52U)
		Brush for top a panel cable entry
		UL fire rated clip-on brush (UL 94-V0)
1	EZBRUSH84	840mm Length
		PDU Mounting Bracket
		For quick fixing buttons PDU
1	EZPDUMW	Universal mounting bracket (Set of 2)
1	EZPDUVW	Vertical Mounting Bracket (Set of 2)
		Chasis runner
		Set of 2 complete with bolts & nuts / Black color
1	EZCSR36W	Chasis Runner 363mm
1	EZCSR47W	Chasis Runner 463mm
1	EZCSR56W	Chasis Runner 563mm
1	EZCSR66W	Chasis Runner 663mm
1	EZCSR76W	Chasis Runner 763mm

Common Accessories










CSW800 EZHDFT01 0 465 10 EZCMH1U

Pack	Cat.Nos	Castor Wheels/Feet
1	CSWB00	Set of 4 castor wheel with lock
4	AJF45	Adjustable Feet 45mm
		Grounding Accessories
1	CU-Earth	Copper bar with isolated
		support for grounding
1	ESD-Button	ESD Grounding jack
		Comes with 5m of grounding cable
		Sliding tray
		Colour: Black (RAL 9005)
1	046510	Loading Capacity 50kg
ı	046310	1U Telescopic Tray Shelf depth 625mm for depth
		1000mm, 1100mm, 1200mm
		Heavy duty fixed tray
		200kg Loading Capacity
		For all racks 42U to 52U
1	EZHDFT01	Heavy duty tray for rack 1000mm depth
1	EZHDFT02	Heavy duty tray for rack 1100mm depth
1	EZHDFT03	Heavy duty tray for rack 1200mm depth
		Horizontal cable manager - 19"
1	EZCMH1U	Cable manager

Build your own rack : Cabinet Structure





NEZ45612BCA

NEZ45612BWCA

Server rack structure suitable for use with patching, network and server equipment. Server rack structure are equipped with 2 pairs of panel mounts with "U" markings Server rack structure supplied with 50 cage nuts and screws

Static weight load : 1,800 Kg Supplied with 4 levelling feet

Color: Black textured (RAL 9005) / White (RAL 9016)

Pad	ck	Cat.1	Nos	EzRak 2		rver	Pad	:k	Cat.	Nos		2.0 - Ser	ver
				rack sti	ructure						rack sti	ucture	
		Assembled	Flatpack	Capacity	Width (mm)	Depth (mm)			Assembled	Flatpack	Capacity	Width (mm)	Depth (mm)
1	1	NF742610BCA	NEZ42610BCP	42U	600	1000	1	l 1	NF742610WCA	NEZ42610WCP	42U	600	1000
1	1	NEZ42611BCA	NEZ42611BCP	42U	600	1100	1	1	NEZ42611WCA	NEZ42611WCP	42U	600	1100
1	1	NEZ42612BCA	NEZ42612BCP	42U	600	1200	1	1	NEZ42612WCA	NEZ42612WCP	42U	600	1200
1	1	NEZ42810BCA	NEZ42810BCP	42U	800	1000	1	1	NEZ42810WCA	NEZ42810WCP	42U	800	1000
1	1	NEZ42811BCA	NEZ42811BCP	42U	800	1100	1	1	NEZ42811WCA	NEZ42811WCP	42U	800	1100
1	1	NEZ42812BCA	NEZ42812BCP	42U	800	1200	1	1	NEZ42812WCA	NEZ42812WCP	42U	800	1200
1	1	NEZ45610BCA	NEZ45610BCP	45U	600	1000	1	1	NEZ45610WCA	NEZ45610WCP	45U	600	1000
1	1	NEZ45611BCA	NEZ45611BCP	45U	600	1100	1	1	NEZ45611WCA	NEZ45611WCP	45U	600	1100
1	1	NEZ45612BCA	NEZ45612BCP	45U	600	1200	1	1	NEZ45612WCA	NEZ45612WCP	45U	600	1200
1	1	NEZ45810BCA	NEZ45810BCP	45U	800	1000	1	1	NEZ45810WCA	NEZ45810WCP	45U	800	1000
1	1	NEZ45811BCA	NEZ45811BCP	45U	800	1100	1	1	NEZ45811WCA	NEZ45811WCP	45U	800	1100
1	1	NEZ45812BCA	NEZ45812BCP	45U	800	1200	1	1	NEZ45812WCA	NEZ45812WCP	45U	800	1200
1	1	NEZ47610BCA	NEZ47610BCP	47U	600	1000	1	1	NEZ47610WCA	NEZ47610WCP	47U	600	1000
1	1	NEZ47611BCA	NEZ47611BCP	47U	600	1100	1	1	NEZ47611WCA	NEZ47611WCP	47U	600	1100
1	1	NEZ47612BCA	NEZ47612BCP	47U	600	1200	1	1	NEZ47612WCA	NEZ47612WCP	47U	600	1200
1	1	NEZ47810BCA	NEZ47810BCP	47U	800	1000	1	1	NEZ47810WCA	NEZ47810WCP	47U	800	1000
1	1	NEZ47811BCA	NEZ47811BCP	47U	800	1100	1	1	NEZ47811WCA	NEZ47811WCP	47U	800	1100
1	1	NEZ47812BCA	NEZ47812BCP	47U	800	1200	1	1	NEZ47812WCA	NEZ47812WCP	47U	800	1200
1	1	NEZ48610BCA	NEZ48610BCP	48U	600	1000	1	1	NEZ48610WCA	NEZ48610WCP	48U	600	1000
1	1	NEZ48611BCA	NEZ48611BCP	48U	600	1100	1	1	NEZ48611WCA	NEZ48611WCP	48U	600	1100
1	1	NEZ48612BCA	NEZ48612BCP	48U	600	1200	1	1	NEZ48612WCA	NEZ48612WCP	48U	600	1200
1	1	NEZ48810BCA	NEZ48810BCP	48U	800	1000	1	1	NEZ48810WCA	NEZ48810WCP	48U	800	1000
1	1	NEZ48811BCA	NEZ48811BCP	48U	800	1100	1	1	NEZ48811WCA	NEZ48811WCP	48U	800	1100
1	1	NEZ48812BCA	NEZ48812BCP	48U	800	1200	1	1	NEZ48812WCA	NEZ48812WCP	48U	800	1200
1	1	NEZ50610BCA	NEZ50610BCP	50U	600	1000	1	1	NEZ50610WCA	NEZ50610WCP	50U	600	1000
1	1	NEZ50611BCA	NEZ50611BCP	50U	600	1100	1	1	NEZ50611WCA	NEZ50611WCP	50U	600	1100
1	1	NEZ50612BCA	NEZ50612BCP	50U	600	1200	1	1	NEZ50612WCA	NEZ50612WCP	50U	600	1200
1	1	NEZ50810BCA	NEZ50810BCP	50U	800	1000	1	1	NEZ50810WCA	NEZ50810WCP	50U	800	1000
1	1	NEZ50811BCA	NEZ50811BCP	50U	800	1100	1	1	NEZ50811WCA	NEZ50811WCP	50U	800	1100
1	1	NEZ50812BCA	NEZ50812BCP	50U	800	1200	1	1	NEZ50812WCA	NEZ50812WCP	50U	800	1200
1	1	NEZ52610BCA	NEZ52610BCP	52U	600	1000	1	1	NEZ52610WCA	NEZ52610WCP	52U	600	1000
1	1	NEZ52611BCA	NEZ52611BCP	52U	600	1100	1	1	NEZ52611WCA	NEZ52611WCP	52U	600	1100
1	1	NEZ52612BCA	NEZ52612BCP	52U	600	1200	1	1	NEZ52612WCA	NEZ52612WCP	52U	600	1200
1	1	NEZ52810BCA	NEZ52810BCP	52U	800	1000	1	1	NEZ52810WCA	NEZ52810WCP	52U	800	1000
1	1	NEZ52811BCA	NEZ52811BCP	52U	800	1100	1	1	NEZ52811WCA	NEZ52811WCP	52U	800	1100
1	1	NEZ52812BCA	NEZ52812BCP	52U	800	1200	1	1	NEZ52812WCA	NEZ52812WCP	52U	800	1200

Build your own rack : Doors and Covers







NEZTCP611B Top Cover (Plain)

NEZTCV611B Top Cover (Vented)

EZFTR811B

Pack	Cat. Nos		Top cover - Plain		ack Cat.Nos			Doors			
	Black	White	Plain top cover comes with 2 openings (with fire rated brush) for data and power cables				(to be ord Future re Bi-fold d	dered s eady do oor cor ooint lo	ithout lock eperately) ors nes complete ck system		
1	NEZTCP610B	NEZTCP610W	600 1000		Black	White	Capacity	Width (mm)			
1	NEZTCP611B	NEZTCP611W	600 1100	1	EZSPS4260FB	EZSPS4260FW	42U	600	Single		
1	NEZTCP612B	NEZTCP612W	600 1200	1	EZSPB4260FB	EZSPB4260FW	42U	600	Bi-fold		
1	NEZTCP810B	NEZTCP810W	800 1000								
1	NEZTCP811B NEZTCP812B	NEZTCP811W NEZTCP812W	800 1100	1	EZSPS4280FB	EZSPS4280FW	42U	800	Single		
I	NEZ I CP8 I ZB	NEZICPOIZW	800 1200	1	EZSPB4280FB	EZSPB4280FW	42U	800	Bi-fold		
			Top cover - Vented	1	EZSPS4560FB	EZSPS4560FW	45U	600	Single		
			Does not include fan tray or fan	1	EZSPB4560FB	EZSPB4560FW	45U	600	Bi-fold		
			Width								
			Capacity (mm)	1	EZSPS4580FB	EZSPS4580FW	45U	800	Single		
1	NEZTCV610B	NEZTCV610W	600 1000	1	EZSPB4580FB	EZSPB4580FW	45U	800	Bi-fold		
1	NEZTCV611B	NEZTCV611W	600 1100								
1	NEZTCV612B	NEZTCV612W	600 1200	1	EZSPS4760FB	EZSPS4760FW	47U	600	Single		
1	NEZTCV810B	NEZTCV810W	800 1000	1	EZSPB4760FB	EZSPB4760FW	47U	600	Bi-fold		
1	NEZTCV811B	NEZTCV811W	800 1100								
1	NEZTCV812B	NEZTCV812W	800 1200	1	EZSPS4780FB	EZSPS4780FW	47U	800	Single		
				1	EZSPB4780FB	EZSPB4780FW	47U	800	Bi-fold		
			Fan tray Each Fan tray can be fitted	4	E70D0/0/0ED	E76D6 (0 (0EW)	4011	(00	6: 1		
			with up to 4 fans	1	EZSPS4860FB	EZSPS4860FW	48U	600	Single Bi-fold		
			Can be installed in 1000, 1100 or 1200 depth racks	ı	EZSPB4860FB	EZSPB4860FW	48U	600	R1-1010		
			Exhaust fan to be	1	EZSPS4880FB	EZSPS4880FW	48U	800	Single		
			individually ordered	1	EZSPB4880FB	EZSPB4880FW	48U	800	Bi-fold		
1	EZFTR610B	EZFTR610W	For Travitor / 00 v 1000								
1	EZFTR611B	EZFTR610W	Fan Tray for 600 x 1000 Fan Tray for 600 x 1100	1	EZSPS5060FB	EZSPS5060FW	50U	600	Single		
1	EZFTR612B	EZFTR612W	Fan Tray for 600 x 1200	1	EZSPB5060FB	EZSPB5060FW	50U	600	Bi-fold		
1	EZFTR810B	EZFTR810W	Fan Tray for 800 x 1000								
1	EZFTR811B	EZFTR811W	Fan Tray for 800 x 1100	1	EZSPS5080FB	EZSPS5080FW	50U	800	Single		
1	EZFTR812B	EZFTR812W	Fan Tray for 800 x 1200	1	EZSPB5080FB	EZSPB5080FW	50U	800	Bi-fold		
	221 1110128		1 dil 11 dy 101 000 x 1200								
1	EZF	001	4" Exhaust fan (Not	1	EZSPS5260FB	EZSPS5260FW	52U	600	Single		
			included with fan tray)	1	EZSPB5260FB	EZSPB5260FW	52U	600	Bi-fold		
1	EZET	RPBS	Dower aard for for	1	EZSPS5280FB	EZSPS5280FW	52U	800	Single		
I	EZFI	INF DO	Power cord for fan tray 1.2m - BS plug	1	EZSPB5280FB	EZSPB5280FW	52U	800	Bi-fold		
			, , , , ,	1	2231 B32001 B	2231 232001 W	320	000	Di Tota		
1	EZFTI	RPC14	Power cord for fan tray 1.8m - C14 plug								

Build your own rack : Control, Monitoring and Signalling



Upgrade kits for enabling security, monitoring and control Fast and easy to Install





Pack	Cat.Nos	Mechanical swinghandles	Pack	Ca
		Mechanical swinghandle are delivered with set of 2 keys	1	EZ-KIT
1	EZSH-COMM	1 pair swing handle with common key (Key Alike) cylinder lockset		
1	EZSH-UNIQUE	1 pair swing handle with unique key (Key Different) cylinder lockset		
1	EZSH-UNIQUEM	1 pair swing handle with unique key (Key Different) cylinder lockset in master key version		
1	EZSH-MASTERK	Master key only, for unique key cylinder lockset	1	EZ-KIT-
1	EZSH-COMBI	1 pair with combination lock and bypass key (Key Different)		
1	EZSH-COMBIM	Master key for combination lock		
		Electronic access control solution Solution for a stand alone rack or to be integrated with the BMS or to the DCIM software, providing remote monitoring in addition to audit trail		
1	EZ-KIT-SRC	Upgrade Kits for Access Control, Monitoring and Signalling Legrand Future Ready Smart Rack Controller kit For: Access Control, Environmental Monitoring, Signalling Kit Includes:	1	EZ-KIT-
		1 Smart Rack Controller supporting future rack or containment needs including: Rack Access Control/Security, Environmental Monitoring, Signalling (Audio/Visual Alarms on Rack related Events), Asset	1	EZ-UF
		Management, Intergration to DCIM and more 1M LCS3 UTP Cable to connect a sensor or integrate with other supported accessory	1	LEG-2

Pack	Cat.Nos	
1	EZ-KIT-UPGD-S	Security Upgrade kit For racks that are equipped with a Xerus Programmable PDU Xerus is included on Legrand and Raritan Programmable Rack iPDUs Kit Include:
		1 pair of Electronic swinghandles (both with card reader)
		1 pair of door contact switches
		1 door controller to be connected to a Legrand Programmable iPDU or Raritan iX7 Controller 2x RFID access cards
1	EZ-KIT-UPGD-SC	Security Upgrade kit For rack that are equipped without a Xerus Programmable PDU Kit incliudes:
		1 Smart Rack Controller with Dual
		Network and Sensor Connections
		1 pair of Electronic swinghandles (both with card reader)
		1 pair of door contact switches
		1 door controller to be connected to included Smart Rack Controller
		2x RFID access cards
1	EZ-KIT-UPGD-ENV	Environmental Monitoring Kit for racks using a Xerus Compatible Device with EZ-KIT-SRC
		Kit comes with:
		1 Temperature Sensor
		1 Humidity Sensor
		1 LCS3 UTP Cable to connect a sensors
1	EZ-UPGD-INST	Installation of the above kit by our skilled installation team (Singapore only)
		For other countries, please contact us
1	LEG-2FA-CARD	Pack of 5 access cards with biometric reader to provide 2FA acces control system
		Supplied with 1 USB-charger (battery can last up to 500 readings before charging again
		Can be used with most Electronic swinghandle KIT from Legrand (Compatible with Mifare DesFire 4K)
1	LEG-CARD	Pack of 5 access cards with biometric reader to provide 2FA acces control system
		· ·

Legrand EzRak 2.0 server cabinet

Compliance with standards

Legrand EzRak 2.0 comply with the following standards

IEC 60297/BS EN 60297

Mechanical structures for electronic equipment - Dimensions of mechanical structures of the 482,6 mm (19 in) series -Part 3-100: Basic dimensions of front panels, subracks, chassis, racks and cabinets

DIN 41494 - 8

Components on front panels; mounting conditions, dimensions

EN 60950


Information technology equipment -Safety - Part 1: General requirements

DIN VDE 0100


Erection of power installations with rated voltages below 1000

EIA-310-D

Cabinets, Racks, Panels, and Associated Equipment



Dimensions (mm)





	A(mm)	B(mm)	C(mm)
42U	1974.16	1866.90	2064.06
45U	2107.51	2000.25	2197.41
47U	2196.41	2089.15	2286.31
48U	2240.86	2133.60	2330.76
50U	2329.76	2222.50	2419.66
52U	2418.66	2311.40	2508.56

Fan tray

ltem	Part number	Compatible with	Max. no. of fan
1	EZFTR610B	Fan Tray for 600 x 1000	4
2	EZFTR611B	Fan Tray for 600 x 1100	4
3	EZFTR612B	Fan Tray for 600 x 1200	4
4	EZFTR810B	Fan Tray for 800 x 1000	4
5	EZFTR811B	Fan Tray for 800 x 1100	4
6	EZFTR812B	Fan Tray for 800 x 1200	4

Racks for Other Applications


CUSTOMIZED SOLUTIONS



With a manufacturing facility based in Singapore and a local team of designers and technicians, Legrand has the flexibility and capacity to build racks in accordance to the customer's request.



OUTDOOR SOLUTIONS



Racks designed for outdoor use to protect your assets from the elements

SECURITY SOLUTIONS



Racks designed to be tamper proof for secured installations

MICRO DATA CENTER SOLUTIONS



Micro data center equipped with in-rack cooling, UPS, PDU and access control. For Edge application or to maintain core activity in your premise in a secure environment while benefiting from the cloud for less sensitive applications.

Legrand SmartRak 2.0 server cabinet



SR42610BVA + SRCSB0

Server rack cabinet suitable for use with patching, network and server equipment.

Stand-alone racks come with quick release side panels

Supplied with 2 single doors (600 mm width) or 1 single door and 1 double-leaf door (800 mm width) - Standard door lock supplied with 02 Keys.

Standard door lock supplied with common key

Fully perforated honeycomb door with up to 80% ventilation

Plain top panel come with 2 cable entries delivered with plates

Racks are equipped with 2 pairs panel mounts (front and back) with "U" markings

Bottom plate / cable entry supplied


Racks supplied with 50 cage nuts and screws

Static weight load : 1,200 Kg Color : Black textured (RAL 9005)

Pa	ck	Cat.l	Nos	SMARTR alone ra	ARTRAK 2.0 - Stand one rack Cat.Nos alone rack			Cat.Nos			- Stand		
		Assembled	Flatpack	Capacity	Width (mm)	Depth (mm)			Assembled	Flatpack	Capacity	Width (mm)	Depth (mm)
1	5	SR27660BVA	SR27660BVP	27U	600	600	1	5	SR42660BVA	SR42660BVP	42U	600	600
1	5	SR27680BVA	SR27680BVP	27U	600	800	1	5	SR42680BVA	SR42680BVP	42U	600	800
1	5	SR27610BVA	SR27610BVP	27U	600	1000	1	5	SR42610BVA	SR42610BVP	42U	600	1000
1	5	SR27611BVA	SR27611BVP	27U	600	1100	1	5	SR42611BVA	SR42611BVP	42U	600	1100
1	5	SR27612BVA	SR27612BVP	27U	600	1200	1	5	SR42612BVA	SR42612BVP	42U	600	1200
1	5	SR27860BVA	SR27860BVP	27U	800	600	1	5	SR42860BVA	SR42860BVP	42U	800	600
1	5	SR27880BVA	SR27880BVP	27U	800	800	1	5	SR42880BVA	SR42880BVP	42U	800	800
1	5	SR27810BVA	SR27810BVP	27U	800	1000	1	5	SR42810BVA	SR42810BVP	42U	800	1000
1	5	SR27811BVA	SR27811BVP	27U	800	1100	1	5	SR42811BVA	SR42811BVP	42U	800	1100
1	5	SR27812BVA	SR27812BVP	27U	800	1200	1	5	SR42812BVA	SR42812BVP	42U	800	1200
1	5	SR32660BVA	SR32660BVP	32U	600	600	1	5	SR45660BVA	SR45660BVP	45U	600	600
1	5	SR32680BVA	SR32680BVP	32U	600	800	1	5	SR45680BVA	SR45680BVP	45U	600	800
1	5	SR32610BVA	SR32610BVP	32U	600	1000	1	5	SR45610BVA	SR45610BVP	45U	600	1000
1	5	SR32611BVA	SR32611BVP	32U	600	1100	1	5	SR45611BVA	SR45611BVP	45U	600	1100
1	5	SR32612BVA	SR32612BVP	32U	600	1200	1	5	SR45612BVA	SR45612BVP	45U	600	1200
1	5	SR32860BVA	SR32860BVP	32U	800	600	1	5	SR45860BVA	SR45860BVP	45U	800	600
1	5	SR32880BVA	SR32880BVP	32U	800	800	1	5	SR45880BVA	SR45880BVP	45U	800	800
1	5	SR32810BVA	SR32810BVP	32U	800	1000	1	5	SR45810BVA	SR45810BVP	45U	800	1000
1	5	SR32811BVA	SR32811BVP	32U	800	1100	1	5	SR45811BVA	SR45811BVP	45U	800	1100
1	5	SR32812BVA	SR32812BVP	32U	800	1200	1	5	SR45812BVA	SR45812BVP	45U	800	12009
1	5	SR36660BVA	SR36660BVP	36U	600	600	1	5	SR47660BVA	SR47660BVP	47U	600	600
1	5	SR36680BVA	SR36680BVP	36U	600	800	1	5	SR47680BVA	SR47680BVP	47U	600	800
1	5	SR36610BVA	SR36610BVP	36U	600	1000	1	5	SR47610BVA	SR47610BVP	47U	600	1000
1	5	SR36611BVA	SR36611BVP	36U	600	1100	1	5	SR47611BVA	SR47611BVP	47U	600	1100
1	5	SR36612BVA	SR36612BVP	36U	600	1200	1	5	SR47612BVA	SR47612BVP	47U	600	1200
1	5	SR36860BVA	SR36860BVP	36U	800	600	1	5	SR47860BVA	SR47860BVP	47U	800	600
1	5	SR36880BVA	SR36880BVP	36U	800	800	1	5	SR47880BVA	SR47880BVP	47U	800	800
1	5	SR36810BVA	SR36810BVP	36U	800	1000	1	5	SR47810BVA	SR47810BVP	47U	800	1000
1	5	SR36811BVA	SR36811BVP	36U	800	1100	1	5	SR47811BVA	SR47811BVP	47U	800	1100
1	5	SR36812BVA	SR36812BVP	36U	800	1200	1	5	SR47812BVA	SR47812BVP	47U	800	1200

Legrand SmartRak 2.0 server cabinet

Accessories



EZHDFT01

Pack	Cat.Nos	Accessories Fan Tray
1	SR_FTA_0600_0002	Fan tray asseimbly(600D x 2 Fans) C13 input + C13~C14 Cord (2m)
1	SR_FTA_0800_0003	Fan tray asseimbly(800D x 3 Fans) C13 input + C13~C14 Cord (2m)
1	SR_FTA_1000_0004	Fan tray asseimbly(1000D x 4 Fans) C13 input + C13~C14 Cord (2m)
1	SR_FTA_1100_0004	Fan tray asseimbly(1100D x 4 Fans) C13 input + C13~C14 Cord (2m)
1	SR_FTA_1200_0004	Fan tray asseimbly(1200D x 4 Fans) C13 input + C13~C14 Cord (2m)
1	SRCSB0	Castor wheels/Leveling feet Set of 4 castor wheel without lock & leveling feet
1	EZCMH1U	Horizontal cable manager - 19" 1U Cable manager
1	046510	Sliding tray Colour: Black (RAL 9005) Loading Capacity 50Kg 1U Telescopic Tray Shelf depth 625mm for depth 1000mm, 1100mm, 1200mm
		Heavy duty fixed tray
1	EZHDFT01	200kg Loading Capacity Heavy duty fixed tray 494mm x 485mm (BLACK)
1	EZHDFT02	Heavy duty fixed tray 494mm x 585mm (BLACK)
1	EZHDFT03	Heavy duty fixed tray 494mm x 685mm (BLACK)
		Cylinder lockset (without mechanical swing handles) Upgrade from common to unique key
1	SRUPCOMM	(key different) cylinder lockset - 1 pair of cylinder
1	SRUPMASTERK	Master key for unique key cylinder lockset
		Cable Tray
1	EZCT42W	8 inches cable tray (For rack height 42U)
1	EZCT45W	8 inches cable tray (For rack height 45U to 47U)
		Bay-up kit
1	SRBUK01B	SmartRak standard bay up kit for joining 2 racks Consists of 4 bay up plates (Top and

bottom, front and back)

Compliance with standards


Legrand SmartRak 2.0 comply with the following standards

Mechanical structures for electronic equipment - Dimensions of mechanical structures of the 482,6 mm (19 in) series - Part 3-100: Basic dimensions of front panels, subracks, chassis, racks and cabinets IEC 60297/BS EN 60297 Components on front panels; mounting conditions, dimensions **DIN 41494 - 8**


Information technology equipment -Safety - Part 1: General requirements EN 60950 **DIN VDE 0100**

Erection of power installations with rated voltages below 1000 Cabinets, Racks, Panels, and Associated Equipment **EIA-310-D**

Dimensions (mm)



PANEL TO PANEL



Column 1	H (mm)	Width	W (mm)
27U	1294.95	600	598
32U	1517.20	800	798
36U	1695.00		
42U	1961.70		
45U	2095.05		
47U	2183.95		

Legrand EzRak 2.0 Wall Mount Cabinet

Complete Cabinets



Stand-alone wall mounted racks

Supplied with standard door lock with 02 Keys.

Quick release reversible safety glass door with front and side access


Strong light weight construction

Load rating : 40Kg

Wall mounting kit supplied

Flatpacked products are in a carton Color: Black Textured (RAL 9005)

Pad	ck	Cat.1				
				EzRak 2 Cabinet	.0 Wall I	Mount
		Assembled	Flatpack	Capacity	Width (mm)	Depth (mm)
1 1	1 1	WM06605BA WM06606BA	WM06605BP WM06606BP	6U 6U	600 600	500 600
1 1	1	WM09605BA WM09606BA	WM09605BP WM09606BP	9U 9U	600 600	500 600
1 1	1	WM12605BA WM12606BA	WM12605BP WM12606BP	12U 12U	600 600	500 600
1 1	1	WM15605BA WM15606BA	WM15605BP WM15606BP	15U 15U	600 600	500 600
				Accesso Mount C		Wall
1		FT-2		Set of 2 exhaust fans with fan tray		
1		646813		19"8 Way BS Outlet Power distribution unit - 1U		et Power - 1U
1		FMT	-1U	19" Fron Loading		tray - 1U. 25kg
1		FMT	-1U			



Capacity	Height (mm)	Depth	Width
6U	351.30	500/600	600.00
9U	484.65	500/600	600.00
12U	618.00	500/600	600.00
15U	752.00	500/600	600.00

Rack Loading Capacity 40kg

Compliance with standards

Legrand EzRak comply with the following standards

IEC 60297 BS EN 60297	Mechanical structures for electronic equipment - Dimensions of mechanical structures of the 482,6 mm (19 in) series - Part 3-100: Basic dimensions of front panels, subracks, chassis, racks and cabinets
DIN 41494 - 8	Components on front panels; mounting conditions, dimensions
EN 60950	Information technology equipment - Safety - Part 1: General requirements
DIN VDE 0100	Erection of power installations with rated voltages below 1000
EIA-310-D	Cabinets, Racks, Panels, and Associated Equipment

Legrand EZNET ® II

Open frame rack




EzNet[®] II Open Frame is technically designed as a versatitle cabling platform for use in any datacom or telecom environment. The construction provides a flexible framework for high capacity patching and cabling. Two front mounted removable hinged doors effectively hide the cables managed within the verticals giving the open frame a more esthetic appearance.

Static weight load : $450~{\rm Kg}$ when bolted to the floor Designed for standalone or bayed-up configuration Hinged removable doors

Color: Black Tecture (RAL 9005) / White (9016)

Pa	ck	Cat.Nos				
				EzNet I	I	
		Black	White		Descriptions	
1	1	EZN242BSRA	EZN242WSRA	EZNET I 42U Ass	l Structure embled	
1	1	EZN245BSRA	EZN245WSRA	EZNET I 45U Ass	l Structure embled	
1	1	EZN248BSRA	EZN248WSRA	EZNET I 48U Ass	l Structure embled	
				for EZNET		nt Depth (mm)
1	1	F7N24208BCSA	F7N24208WCSA	42	8" / 200	230
1	1	EZN24212BCSA	EZN24212WCSA	42	12" / 300	230
1	1	EZN24508BCSA	EZN24508WCSA	45	8" / 200	230
1	1	EZN24512BCSA	EZN24512WCSA	45	12" / 300	230
1	1	EZN24808BCSA	EZN24808WCSA	48	8" / 200	230
1	1	EZN24812BCSA	EZN24812WCSA	48	12"/300	230



Capacity	DIM"H"(mm)	DIM"H1"(mm)
42 U	2026.70	1870.90
45 U	2160.05	2004.25
48 U	2293.40	2137.60

Cable Storage Channel	Width(mm)	Depth(mm)
8"	200	230
12"	300	230

Compliance with standards

Legrand EzNet comply with the following standards

IEC 60297 BS EN 60297	Mechanical structures for electronic equipment - Dimensions of mechanical structures of the 482,6 mm (19 in) series - Part 3-100: Basic dimensions of front panels, subracks, chassis, racks and cabinets
DIN 41494 - 8	Components on front panels; mounting
	conditions, dimensions
EN 60950	Information technology equipment -
EN 00730	Safety - Part 1: General requirements
DIN VDE 0100	Erection of power installations
	with rated voltages below 1000
EIA-310-D	Cabinets, Racks, Panels, and
LIA-010-D	Associated Equipment


More information?

For detailed product information, refer to the complete range of brochures & websites below


























Legrand Singapore website:

www.bticino.co.th
www.legrand.com.sg
www.datacenter.legrand.com
www.ups.legrand.com
www.raritan.com
www.servertech.com
www.starlinepower.com









la legrand

Headquarters

128, avenue de Lattre de Tassigny 87045 Limoges Cedex, France

Tel.: + 33 (0) 5 55 06 87 87 Fax: + 33 (0) 5 55 06 88 88

Distributed by | **bticino**

BTicino (Thailand) Ltd. Bangkok | Office Bangkok | Showroom,

12 F Ploenchit Center 2 Sukhumvit Road, Klongtoey, Bangkok 10110 Tel. +66 (0) 2 656 9162 - 7 Fax· +66 (0) 2 656 9197